

(Click on Well Log ID to Access Image of Well Strip Log)

BUTLER

(Records are Sorted by Township, Range, and Section)

LOG ID: 023549

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1965/03/01

TOWNSHIP

RANGE SECTION **ELEVATION:**

301FT

County Base Map

DRILL DEPTH:

85FT

45FT

22N 5E 10

UTM X 722,964.47

UTM Y 4,049,413.09

ZONE 15

DEPTH TO BED:

S.W.L. (BEFORE CASING):

FT **REMARKS:**

S.W.L. (AFTER CASING):

12

LOG ID: 011654

WELL TYPE Oil Well

DRILL DATE:

1951/08/01

TOWNSHIP

SECTION RANGE

ELEVATION:

323FT

DRILL DEPTH:

350FT

22N 5E 17

UTM X

UTM Y

DEPTH TO BED:

290FT

719,328.47

4,047,512.11

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

#1 CHARLES RAMSEY (#1 FEE)

LOG ID:

011655

WELL TYPE Oil Well

DRILL DATE:

TOWNSHIP 22N

RANGE

SECTION

ELEVATION:

307FT

DRILL DEPTH:

225FT

5E 19

DEPTH TO BED:

UTM X 717,724.47

UTM Y 4,045,843.11

REMARKS: #1 W.A. MORRIS

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

015552

WELL TYPE Private Well

DRILL DATE:

1957/01/01

TOWNSHIP 22N

RANGE SECTION

ELEVATION:

293FT

DRILL DEPTH:

135FT

5E 33

UTM X

UTM Y 4,042,331.05

720,424.54 ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

ALLUVIAL WELL REMARKS:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 006614

DRILL DEPTH:

WELL TYPE Oil Well

1939/12/01 DRILL DATE:

755FT

DEPTH TO BED: 75FT

RANGE TOWNSHIP SECTION 22N

6E 27 **ELEVATION:**

292FT

UTM X 732,154.62

UTMY 4,045,641.05

ZONE 15

S.W.L. (BEFORE CASING):

#1 J.P. PEARSON; 1.5 MI S OF VASTUS **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 004999

WELL TYPE Private Well

DRILL DATE:

1938/07/01

TOWNSHIP

TOWNSHIP

23N

RANGE

SECTION

SECTION

10

ELEVATION:

438FT

DRILL DEPTH: DEPTH TO BED: 100FT 25FT

23N

4E 1

UTM X

UTMY

715,280.29

ELEVATION:

UTM X

723,072.33

4,061,407.25

381FT

UTM Y

4,060,265.19

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

@ FAIRDEALING - PROBABLY ROUBIDOUX

S.W.L. (AFTER CASING):

LOG ID: 004736

WELL TYPE Private Well

DRILL DATE:

1938/04/01

DRILL DEPTH: 82FT

DEPTH TO BED: 35FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 020259

WELL TYPE Private Well

DRILL DATE: DRILL DEPTH: 1961/03/11

91FT

65FT

FT

FT

TOWNSHIP

23N

RANGE 5E

RANGE

5E

SECTION 10

ELEVATION:

392FT

UTM X 721.772.34

UTM Y 4,059,556.19

ZONE 15

ZONE 15

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

DEPTH TO BED:

55

35

REMARKS:

REMARKS:

0.75 MI S OF JCT HWYS 67 & 160, 10 MI S OF POPLAR BLUFF



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012903

WELL TYPE

Noncommunity Public Well

1954/00/00 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 367FT

23N 5E 11 **DRILL DEPTH:** 96FT

UTM X **UTMY** DEPTH TO BED: 723,787.34 4,060,206.19

ZONE 15

S.W.L. (BEFORE CASING): FT 2 MI W, 0.5 MI S OF HARVIELL; ROUBIDOUX RESIDUUM **REMARKS**:

S.W.L. (AFTER CASING): 65

LOG ID: 027703

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP SECTION RANGE ELEVATION:** 340FT

23N 5E 18 DRILL DEPTH: 165FT

UTM X UTMY DEPTH TO BED: 717,562.34 4,057,661.21

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS**: NO SAMPLES LOGGED; YIELD - 8 GPM @ 135', 20 GPM @ 165'

S.W.L. (AFTER CASING): 100

LOG ID:

WELL TYPE

Noncommunity Public Well 020262

DRILL DATE: 1961/08/09 **TOWNSHIP RANGE SECTION ELEVATION:** 346FT

23N 5E 19 **DRILL DEPTH:** 88FT

UTM X UTM Y **DEPTH TO BED:** 717,183.35 4,056,658.20 35FT

ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS:

216FT

40 S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Noncommunity Public Well 023636

1964/10/25 **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 400FT

DRILL DEPTH: UTM X UTM Y

5E

2

DEPTH TO BED: 30FT 723,356.32 4,061,457.20

ZONE 15 S.W.L. (BEFORE CASING): FT

23N

ON HWY 67, 1.5 MI NE OF JCT HWYS 67 & 160 **REMARKS:** S.W.L. (AFTER CASING): 75



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012897

WELL TYPE Private Well

1954/00/00 DRILL DATE:

TOWNSHIP RANGE 23N 5E

SECTION

3

ELEVATION:

425FT

DRILL DEPTH:

170FT

3

UTM X 721,733.32

UTMY 4,060,994.21

DEPTH TO BED: 45FT

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

formerly in name of B.K. Ramsey - JCT OF HWYS 67 & 14 **REMARKS:**

105

LOG ID: 014428

WELL TYPE Private Well

DRILL DATE:

1955/04/04

TOWNSHIP

SECTION RANGE

ELEVATION:

399FT

DRILL DEPTH:

160FT

23N 5E

UTM X

UTMY

DEPTH TO BED:

70FT

723,133.32 ZONE 15

4,061,208.20

S.W.L. (BEFORE CASING):

75

FT

REMARKS:

FORMERLY "JACK BURNLEY"; MAY BE JUST A WATER WELL

S.W.L. (AFTER CASING):

LOG ID: 028813

WELL TYPE

Community Public Well

DRILL DATE:

1988/10/01

TOWNSHIP

RANGE SECTION **ELEVATION:**

400FT

DRILL DEPTH:

880FT

23N 5E 3

UTM X

UTM Y

DEPTH TO BED:

65FT

721,733.32 4,060,782.21 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

Correlates with Logs #28312 & #23626. Roubidoux is unusually thick.

Top of

LOG ID:

WELL TYPE

011386

Private Well

DRILL DATE:

1950/08/01

TOWNSHIP 23N

SECTION RANGE

ELEVATION:

371FT

DRILL DEPTH:

83FT

50

5E 5

UTM X

ZONE 15

719.716.31

UTM Y 4,061,148.22

DEPTH TO BED:

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

FT **REMARKS:**

ROUBIDOUX RESIDUUM; 1 MI N OF HWY 14, ABT W MI S OF LONE

HILL SCHOOL



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012892

DRILL DEPTH:

WELL TYPE

Noncommunity Public Well

102FT

1954/02/15 DRILL DATE:

TOWNSHIP RANGE SECTION 23N 5E 5

UTM X **UTMY** DEPTH TO BED: 80FT

719,516.32 4,060,518.22

440FT

381FT

322FT

ZONE 15

ELEVATION:

ELEVATION:

S.W.L. (BEFORE CASING):

ON HWY 160 1 MI W OF JCT HWYS 61 & 14 **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID:

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE

022525 Noncommunity Public Well

310FT

100FT

72FT

15FT

DRILL DATE: 1964/04/24 **TOWNSHIP SECTION RANGE**

5E

23N 5

> **UTM X UTMY**

719,816.32 4,060,623.22

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 1 MI W OF JCT HWYS 67 & 160

S.W.L. (AFTER CASING): 70

LOG ID: 006686

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE

Private Well

DRILL DATE: 1939/08/01 **TOWNSHIP RANGE SECTION** 23N 6

5E

UTM X UTM Y

ELEVATION:

717,309.31 4,060,477.23

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: ON HWY 42 @ RINGO FORD ON LITTLE BLACK RIVER

S.W.L. (AFTER CASING):

LOG ID:

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE

Noncommunity Public Well 007453

1942/01/01 **DRILL DATE:**

SECTION TOWNSHIP RANGE

23N

5E

6

ELEVATION: 407FT

UTM X UTM Y

718.109.30 4,061,949.24

ZONE 15

45FT S.W.L. (BEFORE CASING): FT **REMARKS:**

87

110FT

S.W.L. (AFTER CASING):

CROPPERVILLE



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012901

WELL TYPE

Noncommunity Public Well

1954/00/00 DRILL DATE: **TOWNSHIP RANGE SECTION**

23N 5E 8

DRILL DEPTH: 100FT UTM X **UTMY** DEPTH TO BED: 60FT

719,551.34 4,058,898.20

394FT

380FT

ZONE 15

ELEVATION:

S.W.L. (BEFORE CASING):

1 MI SW OF JCT HWYS 67 & 14. **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

007288

Industrial High Capacity Well

DRILL DATE: **TOWNSHIP SECTION** 1941/10/01 **RANGE ELEVATION:**

> 23N 5E

9 DRILL DEPTH: 290FT

UTM X UTMY DEPTH TO BED: 100FT 720,264.34 4,059,022.20

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS**: NEAR TAFT; BOSTE STATION; YIELD - 7 GPM @ 170'

S.W.L. (AFTER CASING): 60

LOG ID:

WELL TYPE

Industrial High Capacity Well 016817

DRILL DATE: 1957/00/00 **TOWNSHIP RANGE SECTION ELEVATION:** 362FT

23N 5E 9 **DRILL DEPTH:** 300FT

UTM X UTM Y **DEPTH TO BED:** 40FT 720,964.34 4,059,326.20

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS:**

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Private Well 022950

1964/06/03 **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 359FT

DRILL DEPTH: 130FT UTM X UTM Y

5E

1 MI S OF JCT HWYS 67 & 160

9

DEPTH TO BED: 721,564.34 4,059,124.19 45FT

ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS:

23N

S.W.L. (AFTER CASING): 45



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 021723

WELL TYPE Private Well

1963/09/01 DRILL DATE:

TOWNSHIP 23N

RANGE SECTION 7E

ELEVATION:

305FT

DRILL DEPTH: DEPTH TO BED: 200FT 50FT 33

UTM X

ZONE 15

740,405.64

UTMY 4,052,729.13

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

LOG ID:

WELL TYPE

017346

Noncommunity Public Well

DRILL DATE:

1958/00/00

TOWNSHIP

SECTION RANGE

36

ELEVATION:

315FT

DRILL DEPTH:

105FT

23N 7E

UTM X

UTMY

DEPTH TO BED:

745,718.70

4,053,009.13

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

023187

Community Public Well

DRILL DATE:

1965/01/06

TOWNSHIP

RANGE SECTION **ELEVATION:**

317FT

DRILL DEPTH:

324FT

23N 7E

UTM X

UTM Y

DEPTH TO BED:

175FT

18

36

746,200.70 4,053,699.14

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Oil Well 003012

DRILL DATE:

1922/04/02

TOWNSHIP

RANGE SECTION **ELEVATION:**

313FT

DRILL DEPTH:

975FT

23N

7E 8 UTM X

UTM Y

DEPTH TO BED:

255FT

738,260.54

4,059,279.19

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 020265

WELL TYPE

Noncommunity Public Well

RANGE DRILL DATE: **TOWNSHIP SECTION ELEVATION:**

23N 7E 9 **DRILL DEPTH:** 90FT

UTM X **UTMY DEPTH TO BED:** 739,763.56 4,059,403.19

ZONE 15

326FT

S.W.L. (BEFORE CASING): FT

10 MI S OF POPLAR BLUFF ON HWY 53 **REMARKS**:

S.W.L. (AFTER CASING): 10

LOG ID: 013542

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP SECTION** 1954/05/01 **RANGE ELEVATION:** 322FT

23N 8E DRILL DEPTH: 84FT

UTM X UTMY DEPTH TO BED: 4,059,541.19 746,425.65

ZONE 15

7

S.W.L. (BEFORE CASING): FT **REMARKS**: 15 MI SE OF POPLAR BLUFF NEAR BROSELEY

REMARKS:

S.W.L. (AFTER CASING): 14

LOG ID: 022471

WELL TYPE Private Well

DRILL DATE: 1963/12/04 **TOWNSHIP RANGE SECTION ELEVATION:** 520FT

24N 4E 12 **DRILL DEPTH:** 163FT

UTM X UTM Y

DEPTH TO BED: 715,322.22 4,069,380.31 ZONE 15

S.W.L. (BEFORE CASING): FT

120 ROUB. RESIDUUM S.W.L. (AFTER CASING):

LOG ID:

DRILL DEPTH:

S.W.L. (BEFORE CASING):

WELL TYPE

Noncommunity Public Well 011156

60FT

1949/10/01 **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 455FT

24N

UTM X UTM Y

5E

DEPTH TO BED: 40FT 725.966.25 4,070,873.30

> ZONE 15 **REMARKS:** ON ROXIE RD Q MI S, 0.25 MI W OF GREEN FORST CHURCH, 3 MI

0.5 MI S OF W END OF HWY M W/ HIGHWAY PETROL STATION;

FT

W OF P.B. S.W.L. (AFTER CASING): 50



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012353

WELL TYPE Private Well

1953/03/12 DRILL DATE:

TOWNSHIP 24N

SECTION

ELEVATION:

479FT

DRILL DEPTH:

92FT

5E 1

UTM X

UTMY

DEPTH TO BED:

1

726,166.25 4,071,285.30 ZONE 15

S.W.L. (BEFORE CASING):

FT

ONE SAMPLE - RESIDUAL ROUBIDOUX **REMARKS:**

RANGE

S.W.L. (AFTER CASING):

60

LOG ID: 022138

WELL TYPE Private Well

DRILL DATE:

1963/07/15

TOWNSHIP

SECTION RANGE

ELEVATION:

457FT

DRILL DEPTH:

100FT

24N 5E

> **UTM X** 726,166.25

UTMY 4,071,285.30

DEPTH TO BED:

70FT

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT 65

FT

REMARKS:

formerly Harlin Lewis - Montgomery Subdivision - 0.5 mi SW of Green

Forest Church

LOG ID: 022807

WELL TYPE Private Well

DRILL DATE:

1964/04/08

TOWNSHIP

RANGE SECTION **ELEVATION:**

453FT

DRILL DEPTH:

112FT

24N 5E

> **UTM X** UTM Y

DEPTH TO BED:

65FT

726,066.25

4,071,285.30 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

1 MI S GREEN FOREST CHURCH, 0.25 MI W OF MONTG. SUBD., 4

MI W OF P. B.

LOG ID:

WELL TYPE

023630

Industrial High Capacity Well

55

DRILL DATE:

1964/12/30

TOWNSHIP

SECTION RANGE

ELEVATION:

470FT

DRILL DEPTH:

DEPTH TO BED:

300FT

90FT

5E

UTM X

ZONE 15

725.766.25 4,071,903.31

UTM Y

24N

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

0.25 MI W OF GREEN FOREST CHURCH, 5 MI W OF POPLAR

BLUFF

85



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 028820

WELL TYPE

Community Public Well

DRILL DATE:

1995/12/01

TOWNSHIP 24N

RANGE SECTION **ELEVATION:**

465FT

DRILL DEPTH:

1,050FT

5E 1

UTM X

UTMY 4,071,903.31

DEPTH TO BED:

726,166.26

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

LOG ID: 002708

WELL TYPE Private Well

DRILL DATE:

1933/00/00

TOWNSHIP 24N

SECTION RANGE

5E

ELEVATION:

412FT

DRILL DEPTH:

55FT

10

UTM X

UTMY 4,069,244.28

DEPTH TO BED:

40FT

722,496.22

ZONE 15

S.W.L. (BEFORE CASING):

35

FT

FT

1 MI NW OF CANE CREEK BRIDGE ON ROXIE RD REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 005288

WELL TYPE

Private Well

DRILL DATE:

1938/10/01

TOWNSHIP

RANGE SECTION **ELEVATION:**

411FT

DRILL DEPTH:

96FT

24N 5E 10

UTM X

UTM Y

DEPTH TO BED:

30FT

722,396.21 4,069,757.29

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

70

REMARKS:

LOG ID: 005517

WELL TYPE Private Well

DRILL DATE:

1939/05/15

TOWNSHIP

RANGE SECTION

11

ELEVATION:

460FT

DRILL DEPTH:

DEPTH TO BED:

75FT 50FT

24N 5E

UTM X

724,506.24

UTM Y 4,068,863.27

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012003

WELL TYPE Private Well

<u>DRILL DATE:</u> <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 436FT

DRILL DEPTH: 100FT 24N 5E 12

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 65FT 726,198.26 4,069,429.28

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 6 MI W OF POPLAR BLUFF ON RANGE LINE, 2.5 MI S OF GREEN

FOR CHURCH

LOG ID: 022460

S.W.L. (AFTER CASING):

WELL TYPE Private Well

DRILL DATE: 1963/10/31 TOWNSHIP RANGE SECTION ELEVATION: 455FT

DRILL DEPTH: 111FT 24N 5E 12

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 65FT 724,798.24 4,069,013.27

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: formerly H.E. Boeger - 0.75 mi N of Twin Springs School on Hwy M

S.W.L. (AFTER CASING): 56

LOG ID: 012358 WELL TYPE Private Well

<u>DRILL DATE:</u> 1953/04/29 <u>TOWNSHIP RANGE SECTION</u> ELEVATION: 426FT

DRILL DEPTH: 95FT 24N 5E 13

UTM X UTM Y

<u>DEPTH TO BED:</u> 725,246.27 4,067,824.26

ONLY 2 SAMPLES LOGGED; ON HWY M

13

S.W.L. (BEFORE CASING): FT PEMARKS ONLY COMPLETE LOGGER ON LIMANA

REMARKS:

S.W.L. (AFTER CASING): 45

LOG ID: 020263

S.W.L. (AFTER CASING):

WELL TYPE Private Well

40

<u>DRILL DATE:</u> 1961/07/28 <u>TOWNSHIP RANGE SECTION</u> ELEVATION: 446FT

<u>DRILL DEPTH:</u> 95FT <u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 40FT 724,846.25 4,068,628.27

5E

ZONE 15

24N

S.W.L. (BEFORE CASING): FT REMARKS: 0.5 MI N OF TWIN SPRING SCHOOL OFF HWN M

2/26/2007 437



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 020785

DRILL DEPTH:

WELL TYPE

Industrial High Capacity Well

1961/12/07 DRILL DATE:

160FT

DEPTH TO BED: 95FT

S.W.L. (BEFORE CASING): FT

0.5 MI N OF TWIN SPRING SCHOOL **REMARKS**:

RANGE

5E

S.W.L. (AFTER CASING): 50

LOG ID: 022245

WELL TYPE Private Well

DRILL DATE:

1963/09/18

TOWNSHIP 24N

TOWNSHIP

24N

RANGE

SECTION 13

SECTION

13

ELEVATION:

ELEVATION:

UTM X

724,846.25

ZONE 15

ZONE 15

372FT

444FT

UTMY

4,068,527.27

DRILL DEPTH:

105FT

5E

UTM X 726,246.28

UTMY 4,067,824.26

DEPTH TO BED: 75FT

S.W.L. (BEFORE CASING):

FT

FT

FT

1 MI W OF HIGHWAY PETROL STATION ON HWY M **REMARKS**:

S.W.L. (AFTER CASING): 10

LOG ID: 022246

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1963/10/02

TOWNSHIP

REMARKS:

RANGE

ELEVATION:

724,846.26

451FT

4,068,024.27

DRILL DEPTH:

270FT

24N 5E 13

> UTM X UTM Y

> > ZONE 15

DEPTH TO BED:

45FT

60

SECTION

2 MI W OF HIGHWAY PETROL STATION ON HWY M

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

022747

Private Well

DRILL DATE:

1964/03/01

TOWNSHIP

RANGE

SECTION 13

ELEVATION:

432FT

DRILL DEPTH:

DEPTH TO BED:

132FT 50FT 24N 5E

UTM X

UTM Y

725.446.26

4,068,628.27

ZONE 15

S.W.L. (BEFORE CASING):

65

REMARKS: formerly Odie Hodge

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 022755

WELL TYPE Private Well

1964/03/12 DRILL DATE:

TOWNSHIP RANGE 24N

SECTION

ELEVATION:

402FT

DRILL DEPTH:

112FT

45

5E 13

UTM X

UTMY 4,067,824.26

725,446.27 ZONE 15

DEPTH TO BED:

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

FT

REMARKS: formerly Ralph Rushin

LOG ID:

023650

WELL TYPE Private Well

DRILL DATE:

1965/06/01

TOWNSHIP

SECTION RANGE

ELEVATION:

400FT

DRILL DEPTH:

120FT

45

24N 5E

UTM X

UTMY

DEPTH TO BED: 45FT

722,024.23

4,068,114.27

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

FT

REMARKS:

LOG ID:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

WELL TYPE Private Well

1965/01/15

TOWNSHIP

RANGE

SECTION

15

ELEVATION:

512FT

DRILL DATE: DRILL DEPTH:

023629

175FT

24N

5E 16

> UTM X 720,208.23

UTM Y 4,068,497.28

DEPTH TO BED:

105FT

130

REMARKS:

REMARKS:

ON HWY M, 4 MI W OF HWY PETROL STATION, ACROSS FM OAK

RIDGE SCHOOL

LOG ID:

WELL TYPE Private Well

008750

DRILL DATE:

1944/09/07

TOWNSHIP

RANGE

SECTION 24

ELEVATION:

408FT

DRILL DEPTH:

DEPTH TO BED:

80FT

24N

5E

UTM X 724.970.29

UTM Y 4,065,700.24

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

RESIDUAL ROUBIDOUX

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 021055

WELL TYPE

Noncommunity Public Well

DRILL DATE: 1962/05/31

90FT

TOWNSHIP RANGE SECTION 24N

5E 24 **ELEVATION:**

378FT

DRILL DEPTH: DEPTH TO BED:

UTM X 725,470.30

UTMY 4,065,598.24

ZONE 15

S.W.L. (BEFORE CASING):

FT

55

REMARKS:

S.W.L. (AFTER CASING):

WELL TYPE

LOG ID: 021059

Private Well

DRILL DATE:

1962/05/28

TOWNSHIP 24N

RANGE

SECTION

ELEVATION:

392FT

DRILL DEPTH: DEPTH TO BED: 90FT

5E

24

UTM X 725,270.29

ZONE 15

ZONE 15

UTMY 4,065,598.24

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 022177

WELL TYPE

Private Well

DRILL DATE:

1963/07/16

TOWNSHIP

RANGE

SECTION 24

ELEVATION:

385FT

DRILL DEPTH:

85FT

24N 5E

STATION ON HWY 67S

UTM X 725,470.30

UTM Y 4,065,598.24

DEPTH TO BED:

REMARKS:

0.75 MI W OF GOOD HOPE SCHOOL, 3 MI S OF HWY PETROL

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 022749

WELL TYPE Private Well

DRILL DATE:

1964/05/25

TOWNSHIP

RANGE 5E

SECTION

ELEVATION:

395FT

DRILL DEPTH:

100FT

24

UTM X

UTM Y 4,065,598.24

DEPTH TO BED:

FT

REMARKS:

725.470.30 ZONE 15

formerly Francis Inman - residual Roubidoux; 1 mi W of Good Hope

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

65

School

24N



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 023638

DRILL DEPTH:

DEPTH TO BED:

S.W.L. (AFTER CASING):

WELL TYPE Private Well

106FT

50FT

45

64

95FT

75

1964/10/07 DRILL DATE: **TOWNSHIP RANGE SECTION**

> 24N 5E 24

ELEVATION:

UTM X UTMY 4,065,598.24

725,470.30

ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS:

formerly Frances Inman - 0.75 mi W of Good Hope School, 5 mi SW of

Poplar Bluff

LOG ID: 023637

WELL TYPE Private Well

DRILL DATE: 1930/09/01

TOWNSHIP SECTION RANGE 24N 5E 25

ELEVATION:

385FT

375FT

DRILL DEPTH: 146FT

UTM X

UTMY 4,065,002.24

724,911.30 ZONE 15

S.W.L. (BEFORE CASING):

FT REMARKS:

1.5 MI W, 0.5 MI S OF GOOD HOPE SCHOOL

S.W.L. (AFTER CASING):

LOG ID: 022533

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE: 1964/02/01

SECTION TOWNSHIP RANGE 24N 5E 26

ELEVATION: 403FT

DRILL DEPTH: 100FT

UTM X UTM Y

DEPTH TO BED:

724,698.29 4,065,326.24

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 1 MI W OF GOOD HOPE SCHOOL, 5 MI SW OF POPLAR BLUFF

S.W.L. (AFTER CASING):

LOG ID: 023624

DEPTH TO BED:

WELL TYPE Private Well

1964/09/25 **DRILL DATE:**

RANGE SECTION TOWNSHIP 24N

5E 26 **ELEVATION:** 413FT

DRILL DEPTH: 128FT

UTM X UTM Y

724.698.29 4,065,326.24

ZONE 15

1.5 MI W OF GOOD HOPE SCHOOL, 5 MI SW OF POPLAR BLUFF **REMARKS**:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012904

WELL TYPE Private Well

1954/00/00 DRILL DATE:

TOWNSHIP RANGE 24N 5E

SECTION

ELEVATION:

357FT

DRILL DEPTH: DEPTH TO BED: 115FT

27

UTM X UTMY 4,063,870.23

723,087.29

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

formerly in name of "Brown" - 5 mi S of Poplar Bluff, 0.5 mi N of Hwy 67

S.W.L. (AFTER CASING):

LOG ID: 012902

WELL TYPE

Noncommunity Public Well

60

DRILL DATE:

1954/00/00

TOWNSHIP

RANGE

SECTION

ELEVATION:

497FT

DRILL DEPTH:

24N 5E 29

UTM X

UTMY

DEPTH TO BED:

719,864.27

4,064,394.25

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: may be the same as Log #13378

S.W.L. (AFTER CASING):

LOG ID: 013378

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1955/00/00

TOWNSHIP

RANGE

SECTION 29

ELEVATION:

497FT

DRILL DEPTH:

115FT

24N

5E

MAY BE THE SAME AS WELL #12902

UTM X 719,864.27

UTM Y 4,064,394.25

DEPTH TO BED:

15FT

30

FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

021339

Community Public Well

DRILL DATE:

1962/08/18

TOWNSHIP

RANGE

SECTION 29

ELEVATION:

449FT

DRILL DEPTH:

280FT

25FT

24N

5E

UTM X

UTM Y

719.864.27 4,064,598.25 ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

REMARKS:

S.W.L. (AFTER CASING):

DEPTH TO BED:

65



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 022178

DRILL DEPTH:

WELL TYPE Private Well

1963/08/07 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 440FT

> 24N 5E 29 100FT

UTM X **UTMY** DEPTH TO BED: 55FT 719,864.27 4,064,598.25

ZONE 15

S.W.L. (BEFORE CASING): FT 13 MI S OF POPLAR BLUFF ON HWY F, 1 BLK W OF LONE HILL **REMARKS:**

> **SCHOOL** 50

LOG ID: 023628

S.W.L. (AFTER CASING):

WELL TYPE Private Well

1964/10/07 **TOWNSHIP SECTION** DRILL DATE: **RANGE ELEVATION:** 454FT

24N 5E 29 DRILL DEPTH: 200FT

UTM X UTMY DEPTH TO BED: 45FT 719,864.27 4,064,598.25

ZONE 15

1 MI W OF LONE HILL SCHOOL, 12 MI W OF POPLAR BLUFF

S.W.L. (BEFORE CASING): FT **REMARKS:** 200 YDS N OF LONE HILL SCHOOL ON HWY F, 15 MI SW OF

S.W.L. (AFTER CASING): 65 POPLAR BLUFF

LOG ID: 022750

WELL TYPE Private Well

SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION: 361FT

24N 5E 30 **DRILL DEPTH:** 125FT

UTM X UTM Y **DEPTH TO BED:** 717,540.27 4,064,474.26 105FT

ZONE 15 S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 85

LOG ID: 022881

WELL TYPE Private Well

1964/05/04 **RANGE SECTION DRILL DATE: TOWNSHIP ELEVATION:** 409FT

24N 5E 32 **DRILL DEPTH:** 135FT

UTM X UTM Y DEPTH TO BED: 40FT 718.496.30 4,062,174.24

ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS:

REMARKS:

S.W.L. (AFTER CASING): 40



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 022461

WELL TYPE Private Well

1963/11/12 DRILL DATE:

35FT

24N

RANGE SECTION 35

ELEVATION:

380FT

DRILL DEPTH: 205FT 5E

UTM X

UTMY 4,062,290.21

724,133.32 ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: formerly in name of Hershel Chatman

S.W.L. (AFTER CASING):

50

LOG ID: 019796

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE:

1960/09/20

TOWNSHIP

TOWNSHIP

RANGE SECTION **ELEVATION:**

417FT

DRILL DEPTH:

120FT

5E 24N

UTM X

UTMY

DEPTH TO BED:

70FT

720,553.21

4,071,821.32

ZONE 15

S.W.L. (BEFORE CASING):

FT

8 MI W OF POPLAR BLUFF, 4 MI FROM HWY PP REMARKS:

S.W.L. (AFTER CASING):

75

LOG ID:

022276

WELL TYPE Private Well

DRILL DATE:

1963/09/10

TOWNSHIP

RANGE SECTION **ELEVATION:**

720,853.21

504FT

DRILL DEPTH:

227FT

24N 5E 4

UTM Y

DEPTH TO BED:

100FT

4

UTM X

4,070,432.30

107

FT

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 002921

WELL TYPE

Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

184FT

TOWNSHIP 24N

RANGE 5E

SECTION 7

ELEVATION:

UTM X

UTM Y 4,070,011.31

716,759.21

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

REMARKS:

S.W.L. (AFTER CASING):

154



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 021550

WELL TYPE Private Well

DRILL DATE: 1963/02/07 TOWNSHIP RANGE SE

<u>WNSHIP</u> <u>RANGE</u> <u>SECTION</u> 24N 5E 7 **ELEVATION**:

489FT

DRILL DEPTH: 145FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

<u>UTM X</u> 717,459.22 <u>UTM Y</u> 4,069,290.30

DEPTH TO BED:

FT

FT

FT

95

ZONE 15 8 MI W OF HWY PETROL STATION ON HWY M; RESIDUAL

ROUBIDOUX

LOG ID: 012896

WELL TYPE Private Well

DRILL DATE:

1954/00/00

TOWNSHIP

RANGE SECTION

ELEVATION: 4

ZONE 15

416FT

DRILL DEPTH:

124FT

6E 16

UTM X

729,821.32

<u>UTM Y</u> 4,068,690.27

DEPTH TO BED: 110FT

REMARKS:

REMARKS:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

85

LOG ID:

WELL TYPE

019780

Noncommunity Public Well

DRILL DATE:

1961/02/16

<u>TOWNSHIP</u>

24N

RANGE SECTION

16

ELEVATION:

431FT

DRILL DEPTH:

150FT

24N 6E

UTM X

<u>UTM Y</u>

DEPTH TO BED:

105FT

729,821.32 4,068,488.27 ZONE 15

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

76

REMARKS:

LOG ID:

002710

WELL TYPE Private Well

DRILL DATE:

1933/03/01

<u>TOWNSHIP</u>

RANGE SECTION

ELEVATION:

410FT

DRILL DEPTH:

93FT

6E 17

UTM X UTM Y

ZONE 15

728,407.30

4,068,455.27

DEPTH TO BED:

REMARKS: 3 MI SW OF POPLAR BLUFF ON HWY 67, NEAR CROVANS

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

EIVIARNO. 3 IVII S

24N

SCHOOL

2/26/2007 445



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 003148

WELL TYPE Private Well

1934/12/12 DRILL DATE:

TOWNSHIP RANGE 24N

SECTION

ELEVATION:

408FT

DRILL DEPTH:

93FT

6E 17

UTM X

UTMY

DEPTH TO BED:

729,207.32

4,068,049.27

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

LOG ID: 006816

WELL TYPE Private Well

DRILL DATE:

1941/03/20

TOWNSHIP 24N

SECTION RANGE

17

ELEVATION:

394FT

DRILL DEPTH:

116FT

6E

UTM X

UTMY

DEPTH TO BED:

95FT

89

728,307.30

4,068,556.27

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

ELEVATION - 928' - TOO HIGH REMARKS:

LOG ID: 011383

WELL TYPE

Private Well

DRILL DATE:

1950/07/01

TOWNSHIP 24N

RANGE SECTION **ELEVATION:**

411FT

DRILL DEPTH:

112FT

6E 17

IN POPLAR BLUFF - MAYBE A CAFE

UTM X

UTM Y

DEPTH TO BED:

729,507.32 4,068,556.27

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

011426

Private Well

DRILL DATE:

1950/03/01

TOWNSHIP 24N

RANGE

SECTION

ELEVATION:

416FT

DRILL DEPTH:

105FT

6E

17

DEPTH TO BED:

90FT

UTM X UTM Y 729.007.32 4,068,251.27

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

REMARKS:

YIELD "STRONG @ 65"; ON HWY 67 S JUST E OF WESTWOODS

HILLS CONTRY.CLB



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012212

WELL TYPE

Noncommunity Public Well

1951/05/19 DRILL DATE:

RANGE TOWNSHIP SECTION 24N 17

6E

DRILL DEPTH: 304FT UTM X **UTMY** DEPTH TO BED: 125FT

729,607.32 4,068,455.27

ELEVATION:

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: S OF POPLAR BLUFF ON HWY 67

S.W.L. (AFTER CASING): 75

LOG ID: 014403

WELL TYPE Private Well

DRILL DATE:

1955/05/29

FT

TOWNSHIP RANGE SECTION 24N

6E 17 **ELEVATION:**

ELEVATION:

UTM X

729,007.32

432FT

401FT

DRILL DEPTH: 150FT

UTM X 728,607.31

UTMY 4,068,251.27

414FT

UTM Y

4,068,049.27

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

LOG ID:

017985

WELL TYPE Private Well

DRILL DATE:

1959/01/01 **TOWNSHIP RANGE SECTION** 24N 6E 17

REMARKS:

DRILL DEPTH: 305FT

DEPTH TO BED: 215FT

S.W.L. (BEFORE CASING):

85 S.W.L. (AFTER CASING):

LOG ID: 018814

DRILL DEPTH:

DEPTH TO BED:

S.W.L. (AFTER CASING):

WELL TYPE Private Well

1959/10/01 **DRILL DATE:**

260FT

150FT

RANGE TOWNSHIP 24N

6E

SECTION 17

ELEVATION:

361FT

UTM X UTM Y 729.607.32 4,068,657.27

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING): OLD WELL DEEPENED 150-260' - 1 MI S OF POPLAR BLUFLF ON **REMARKS**:

HWY 67



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 020608

WELL TYPE

Industrial High Capacity Well

1962/01/01 DRILL DATE:

RANGE TOWNSHIP 24N

ELEVATION:

406FT

DRILL DEPTH:

500FT

6E

SECTION

17

UTM X

UTMY

DEPTH TO BED:

195FT

729,007.31

4,068,455.27

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 022176

WELL TYPE Private Well

DRILL DATE:

1963/08/01

TOWNSHIP

SECTION RANGE

ELEVATION:

365FT

DRILL DEPTH:

100FT

24N 6E

UTM X

UTMY

DEPTH TO BED:

728,407.30

ZONE 15

4,068,657.27

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS: previously Ernest McElrath - 0.5 mi S, 1 mi E of Black Creek Church, 3

17

mi SW of Poplar Bluff

LOG ID:

WELL TYPE

004674

Noncommunity Public Well

56

DRILL DATE:

TOWNSHIP 24N

SECTION RANGE

ELEVATION:

443FT

DRILL DEPTH:

175FT 125FT

6E 18

UTM X 727,817.29

ZONE 15

UTM Y 4,068,595.27

DEPTH TO BED:

FT

FT

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

105

LOG ID:

WELL TYPE

004737

Private Well

DRILL DATE:

1938/04/01

TOWNSHIP

RANGE SECTION **ELEVATION:**

414FT

DRILL DEPTH:

81FT

24N

6E 18 UTM X

UTM Y 4,067,717.26

DEPTH TO BED:

20FT

727,017.29

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

26

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 004805

WELL TYPE Private Well

1938/04/01 DRILL DATE:

TOWNSHIP RANGE 24N 6E

SECTION

ELEVATION:

431FT

DRILL DEPTH:

104FT

18

UTM X

UTMY 4,068,595.27

DEPTH TO BED:

75FT

29

726,617.28

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

LOG ID:

WELL TYPE Private Well

005357 DRILL DATE:

1939/00/00

TOWNSHIP

SECTION RANGE

ELEVATION:

399FT

DRILL DEPTH:

88FT

24N 6E 18

UTM X

UTMY

DEPTH TO BED:

727,817.30

4,067,717.26

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

ROUBIDOUX RESIDUUM

LOG ID:

WELL TYPE Private Well 006654

DRILL DATE:

1941/00/00

TOWNSHIP

SECTION RANGE

ELEVATION:

443FT

DRILL DEPTH:

300FT

24N 6E 18

UTM X

UTM Y

DEPTH TO BED:

150FT

90

727,817.30 4,067,717.26

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

LOG ID: 010180

WELL TYPE Private Well

DRILL DATE:

1948/06/01

TOWNSHIP 24N

SECTION RANGE

ELEVATION:

413FT

DRILL DEPTH:

440FT

6E 18

UTM X

UTM Y

DEPTH TO BED:

130FT

727.417.30

4,067,497.26

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

ON HWY 67, 0.25 MI SE OF PETROL STATION, 5 MI S OF POPLAR

BLUFF



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012007

WELL TYPE Private Well

1950/11/30 DRILL DATE:

TOWNSHIP 24N

RANGE SECTION 18

ELEVATION:

419FT

DRILL DEPTH:

125FT

6E

UTM X

UTMY

DEPTH TO BED:

50FT

727,517.29

4,068,265.27

ZONE 15

S.W.L. (BEFORE CASING):

FT

4 MI SW OF POPLAR BLUFF ON HWY 67 **REMARKS**:

S.W.L. (AFTER CASING):

45

LOG ID: 012886

WELL TYPE Private Well

DRILL DATE:

1954/00/00

TOWNSHIP

RANGE SECTION **ELEVATION:**

446FT

DRILL DEPTH:

130FT

24N 6E 18

UTM X

UTMY

DEPTH TO BED:

75FT

726,517.29 4,067,387.26

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 016096

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1956/08/15

TOWNSHIP

RANGE SECTION

18

ELEVATION:

409FT

DRILL DEPTH:

400FT

50FT

24N 6E

UTM X 727,517.29

ZONE 15

UTM Y 4,068,485.27

DEPTH TO BED:

70

FT

REMARKS:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

Private Well

WELL TYPE

022806 **DRILL DATE:**

1964/04/28

TOWNSHIP

RANGE

SECTION

ELEVATION:

405FT

DRILL DEPTH:

95FT

24N

6E 18

UTM X

UTM Y

DEPTH TO BED:

70FT

726.617.29

4,067,827.26

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

previously in name of Jim Barker - 0.5 mi W of Jct Hwys M & 67

S.W.L. (AFTER CASING):

50



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 022874

WELL TYPE Private Well

<u>DRILL DATE:</u> <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 407FT

DRILL DEPTH: 24N 6E 18

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 726,717.29 4,067,827.26

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 0.75 MI W OF JCT HWYS M & 67, 5 MI SW OF POPLAR BLUFF

S.W.L. (AFTER CASING): 45

LOG ID:

WELL TYPE

028604 Community Public Well

DRILL DATE: 1983/01/01 <u>TOWNSHIP</u> RANGE <u>SECTION</u> <u>ELEVATION:</u> 350FT

DRILL DEPTH: 1,620FT 24N 6E 18

<u>DEPTH TO BED:</u> 25FT <u>UTM X</u> <u>UTM Y</u> 727,476.30 4,067,703.26

.W.L. (BEFORE CASING): FT

S.W.L. (BEFORE CASING): FT REMARKS:

S.W.L. (AFTER CASING): 100

LOG ID: WELL TYPE Private Well

<u>DRILL DATE:</u> <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 428FT

_____ 24N 6E 19

DRILL DEPTH: 88FT UTM Y

<u>DEPTH TO BED:</u> 726,555.30 4,066,207.25 ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: ROUBIDOUX RESIDUUM

S.W.L. (AFTER CASING): 72

LOG ID: WELL TYPE
022459 Private Well

<u>DRILL DATE:</u> 1964/01/06 <u>TOWNSHIP RANGE SECTION</u> ELEVATION: 423FT

DRILL DEPTH: 118FT UTM Y

6E

19

<u>DEPTH TO BED:</u> 726,555.30 4,066,429.25
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: ON HWY 67, 1 MI S OF PATROL STATION; ALL ROUBIDOUX

24N

S.W.L. (AFTER CASING): 75 RESIDUUM

2/26/2007 451



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 024791

WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1967/02/04

TOWNSHIP 24N

SECTION

ELEVATION:

319FT

DRILL DEPTH:

140FT

RANGE 6E

26

UTM X

UTMY 4,064,146.23

DEPTH TO BED:

733,668.43

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

TEST HOLE #2; 3 MI S OF POPLAR BLUFF, 2 MI W OF HWY 23, NOT

DEVEPD.

LOG ID:

WELL TYPE

024794

Community Public Well

DRILL DATE:

1967/02/01

TOWNSHIP

SECTION RANGE

ELEVATION:

319FT

DRILL DEPTH:

224FT

24N 6E

UTM X

UTMY

DEPTH TO BED:

26

4,064,146.23

733,668.43 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

test hole made into well, 3 mi S of Poplar Bluff, 3 mi W of Hwy 53

S.W.L. (AFTER CASING):

LOG ID: 028824

WELL TYPE

Community Public Well

DRILL DATE:

1998/12/18

TOWNSHIP

RANGE

ELEVATION:

322FT

DRILL DEPTH:

1.250FT

24N

SECTION 6E 26

ZONE 15

ZONE 15

FT

UTM X 734,468.44

UTM Y 4,064,146.23

DEPTH TO BED:

REMARKS: Butler County PWSD #1 East - Well #C1 (3)

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

001825

Industrial High Capacity Well

40

DRILL DATE:

1914//

TOWNSHIP

RANGE

SECTION

ELEVATION:

335FT

DRILL DEPTH:

DEPTH TO BED:

927FT

85FT

10

24N 6E

3

UTM X

UTM Y 4,070,626.29

732.671.35

S.W.L. (BEFORE CASING):

FT

REMARKS:

formerly Poplar Bluff Ice & Fuel Company

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 018810

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 359FT

24N 6E 31 70FT

DRILL DEPTH: UTM X **UTMY** DEPTH TO BED: 35FT

726,608.34 4,063,631.22

ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: 3 MI S OF HWY PATROL STATION

S.W.L. (AFTER CASING): 10

LOG ID: 012357

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP SECTION** 1953/04/27 **RANGE ELEVATION:**

24N 6E 36 DRILL DEPTH: 125FT

UTM X UTMY

DEPTH TO BED: 735,598.46 4,063,460.23 ZONE 15

S.W.L. (BEFORE CASING): REMARKS: formerly in name of Charles H. Digges - log not located correctly - do

S.W.L. (AFTER CASING): not use

LOG ID: 017507

WELL TYPE Private Well

DRILL DATE: 1958/07/05 **TOWNSHIP RANGE SECTION ELEVATION:** 356FT

24N 6E 4 **DRILL DEPTH:** 100FT

UTM X UTM Y

DEPTH TO BED: 729,970.31 4,071,989.31 15FT ZONE 15

S.W.L. (BEFORE CASING): **REMARKS**: FLOWS 1 GPM

S.W.L. (AFTER CASING):

LOG ID: 002711

WELL TYPE Private Well

1933/03/01 **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 360FT

DRILL DEPTH: 40FT UTM X UTM Y

6E

5

DEPTH TO BED: 729,052.29 4,070,778.29 5FT

ZONE 15

24N

S.W.L. (BEFORE CASING): ON HWY 60 **REMARKS**:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 002924

WELL TYPE Private Well

1934/08/01 DRILL DATE:

TOWNSHIP 24N

RANGE SECTION **ELEVATION:**

381FT

DRILL DEPTH:

99FT

6E 5

UTM X

UTMY 4,071,208.30

DEPTH TO BED:

FT

728,852.29

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

72

"COULD NOT LOCATE" - ROUBIDOUX RESIDUUM

LOG ID: 012006

WELL TYPE Private Well

DRILL DATE:

1951/10/29

TOWNSHIP 24N

SECTION RANGE

ELEVATION:

354FT

DRILL DEPTH:

58FT

6E 5

UTM X

UTMY

DEPTH TO BED:

729,352.30

4,071,530.30

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: ON ROXIE RD

S.W.L. (AFTER CASING):

LOG ID: 014402

WELL TYPE Private Well

DRILL DATE:

1956/00/00

TOWNSHIP

24N

RANGE SECTION **ELEVATION:**

404FT

DRILL DEPTH:

105FT

6E 5

UTM X

ZONE 15

UTM Y

DEPTH TO BED:

60FT

728,552.29

4,070,456.29

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

LOG ID: 022179

WELL TYPE

Private Well

DRILL DATE:

TOWNSHIP 24N

SECTION RANGE

ELEVATION:

420FT

DRILL DEPTH:

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

126FT 90FT

70

6E 5

UTM X

ZONE 15

728.952.30

UTM Y

4,071,746.31

FT

REMARKS:

formerly in name of Phil Weber - Hwy PP 2 mi W of Jct Hwys PP & 67,

2 mi W of Poplar Bluff



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 025234

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1966/01/14 DRILL DATE:

155FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

REMARKS:

formerly in name of Wm. Batson - 3 mi W of Poplar Bluff, 0.25 mi N of

Hwy PP; Roubidoux Residuum

RANGE

6E

LOG ID: 002828

WELL TYPE Private Well

DRILL DATE:

1933/00/00

TOWNSHIP 24N

TOWNSHIP

24N

RANGE 6E

SECTION 6

SECTION

5

ELEVATION:

ELEVATION:

UTM X

728,952.30

ZONE 15

456FT

377FT

UTMY

4,071,960.31

DRILL DEPTH: DEPTH TO BED: 82FT 10FT

90

UTM X

UTMY 4,070,948.30

727,764.28

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

"COULD NOT LOCATE"

LOG ID: 019258

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1960/08/01

85FT

52

TOWNSHIP 24N

6E

RANGE SECTION 6

ELEVATION:

451FT

UTM X

UTM Y 4,071,420.30

726,964.27 ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

formerly B. Espey - 0.5 mi E, 0.5 mi S of Old Green Forest Church

S.W.L. (AFTER CASING):

LOG ID: 022161

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1963/07/03

45FT

25

90FT

TOWNSHIP 24N

RANGE 6E

SECTION

6

ELEVATION:

727,564.28

416FT

UTM X

UTM Y 4,071,892.31

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

ON HWY PP 2 MI W OF POPLAR BLUFF



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 022317

WELL TYPE Private Well

<u>DRILL DATE:</u> <u>TOWNSHIP</u> <u>RANGE</u> <u>SECTION</u> <u>ELEVATION:</u>

DRILL DEPTH: 24N 6E 6

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 110FT 727,864.28 4,071,302.30

ZONE 15

474FT

S.W.L. (BEFORE CASING): FT REMARKS: formerly D.O. Henson? - Roxie Rd, 3 mi W of Poplar Bluff, 2 mi E of

Roxie Rd & Range Line Rd

LOG ID: 023645

S.W.L. (AFTER CASING):

WELL TYPE Private Well 90

DRILL DATE: 1965/04/16 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 467FT

DRILL DEPTH: 140FT 24N 6E 6

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 80FT 726,864.27 4,071,774.31

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 0.25 MI S OF HWY PP, 1 MI SE OF GREEN FOREST CHURCH

S.W.L. (AFTER CASING): 50

LOG ID: 002826

WELL TYPE Private Well

<u>DRILL DATE:</u> 1933/00/00 <u>TOWNSHIP RANGE SECTION</u> ELEVATION: 413FT

DRILL DEPTH: 53FT 24N 6E 7

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 10FT 727,189.27 4,069,532.28

ZONE 15

S.W.L. (BEFORE CASING): REMARKS: "COULD NOT LOCATE"

S.W.L. (AFTER CASING):

LOG ID: 012204 WELL TYPE Private Well

<u>DRILL DATE:</u> 1952/00/00 <u>TOWNSHIP RANGE SECTION</u> ELEVATION: 465FT

DRILL DEPTH: 96FT 24N 6E 7

<u>DEPTH TO BED:</u> 55FT <u>UTM Y</u> <u>0TM Y</u> 726,489.26 4,069,643.28

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: formerly Carter-Ponder? - 1.5 mi S of Green Forest on Hwy 60

S.W.L. (AFTER CASING): 70

2/26/2007 456



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 014430

DEPTH TO BED:

WELL TYPE Private Well

1955/00/00 DRILL DATE:

TOWNSHIP RANGE **ELEVATION:**

389FT

DRILL DEPTH: 125FT

S.W.L. (AFTER CASING):

24N 6E

> UTM X **UTMY**

727,889.29

4,068,751.27 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

MIGHT PENETRATE A SIK, OR CAVERN, RESIDUUM BELOW

SECTION

BEDROCK

LOG ID: 019262

WELL TYPE Private Well

DRILL DATE:

1960/07/05

TOWNSHIP

SECTION RANGE

ELEVATION:

404FT

DRILL DEPTH:

207FT

5FT

24N 6E

UTM X

UTMY

DEPTH TO BED:

65FT

727,689.29

4,068,751.27

ZONE 15

S.W.L. (BEFORE CASING):

N OF WESTWOOD HILLS CTRY CLB, 5 MI S OF POPLAR BLUFF REMARKS:

7

7

S.W.L. (AFTER CASING):

LOG ID: 022326

WELL TYPE

Private Well

DRILL DATE:

1963/10/11

TOWNSHIP

RANGE SECTION **ELEVATION:**

461FT

DRILL DEPTH:

114FT

24N 6E

UTM X

UTM Y

DEPTH TO BED:

80FT

726,489.26 4,069,643.28

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

56

LOG ID:

WELL TYPE

002825

Private Well

1933/00/00

TOWNSHIP

SECTION RANGE

ELEVATION:

387FT

DRILL DATE: DRILL DEPTH:

88FT

24N 6E 8

UTM X

728.889.30

UTM Y

4,069,556.28

DEPTH TO BED:

REMARKS:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

"COULD NOT LOCATE"



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 002920

WELL TYPE Private Well

DRILL DATE:

1933/00/00 **TOWNSHIP** 24N

RANGE SECTION 6E

ELEVATION:

387FT

UTMY

DRILL DEPTH:

91FT

8

UTM X

DEPTH TO BED:

728,889.30 4,069,556.28

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: **ROUBIDOUX RESIDUUM**

S.W.L. (AFTER CASING): 61

LOG ID: 021308

WELL TYPE Private Well

DRILL DATE:

1962/08/25

TOWNSHIP

SECTION RANGE

8

ELEVATION:

371FT

DRILL DEPTH:

120FT

24N 6E

UTM X

UTMY 4,068,849.27

DEPTH TO BED:

70FT

728,789.31

ZONE 15

S.W.L. (BEFORE CASING):

FT

45

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 002918

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1934/08/01

TOWNSHIP

RANGE SECTION **ELEVATION:**

356FT

DRILL DEPTH:

66FT

24N

6E 9

UTM X

UTM Y

DEPTH TO BED:

50FT

731,102.32 4,070,191.29

ZONE 15

9

S.W.L. (BEFORE CASING):

41

FT **REMARKS:**

S.W.L. (AFTER CASING):

LOG ID: 002922

WELL TYPE Private Well

1933/00/00

TOWNSHIP

SECTION RANGE

ELEVATION:

328FT

DRILL DATE: DRILL DEPTH:

75FT

24N 6E

UTM X

730,502.32

UTM Y 4,069,585.28

DEPTH TO BED:

S.W.L. (BEFORE CASING):

FT

ZONE 15

S.W.L. (AFTER CASING):

15

REMARKS: **COULD FIND WELL**

2/26/2007

458



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 002925

WELL TYPE Private Well

DRILL DATE: 1934/08/01

TOWNSHIP 24N SECTION 9 **ELEVATION:**

322FT

DRILL DEPTH:

69FT

6E

RANGE

<u>UTM X</u>

<u>UTM Y</u>

DEPTH TO BED:

65FT

731,002.34

4,069,080.28

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING): FT

REMARKS:

LOG ID:

WELL TYPE

010183

Industrial High Capacity Well

44

DRILL DATE:

1948/06/01

TOWNSHIP

RANGE SECTION 6E 9

ELEVATION:

381FT

DRILL DEPTH:

265FT

24N 6E

UTM X

UTM Y

DEPTH TO BED:

70FT

731,102.34

4,068,979.28

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: S OF HWY 67

S.W.L. (AFTER CASING):

WELL TYPE

LOG ID: 017505

Noncommunity Public Well

60

DRILL DATE:

1958/08/15

TOWNSHIP R

RANGE SECTION

ELEVATION:

357FT

DRILL DEPTH:

200FT

24N

6E 9

70FT

~_

<u>UTM X</u> 731,002.34

<u>UTM Y</u> 4,068,878.27

DEPTH TO BED:

70

FT

REMARKS:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 021441

WELL TYPE

Private Well

DRILL DATE:

1962/10/01

TOWNSHIP

24N

RANGE

SECTION

ELEVATION:

UTM X

744,765.58

319FT

DRILL DEPTH:

135FT

7E 25

<u>UTM Y</u> 4,064,904.24

DEPTH TO BED:

S.W.L. (BEFORE CASING):

FT

REMARKS: HWY AA 5 MI NW OF BROSLEY

ZONE 15

ZONE 15

S.W.L. (AFTER CASING):

10

2/26/2007 459



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 018806 WELL TYPE Private Well

DRILL DATE: 1959/10/01

01 <u>TOWNSHIP</u> 24N RANGE SECTION 7E 33

ELEVATION:

326FT

DRILL DEPTH:

65FT

33

UTM X UTM Y

ZONE 15

ZONE 15

739,976.52

4,063,740.23

DEPTH TO BED:

S.W.L. (BEFORE CASING):

REMARKS: 5 MI S OF POPLAR BLUFF OFF OF HWY 53

S.W.L. (AFTER CASING):

LOG ID: 021440

WELL TYPE
Private Well

DRILL DATE:

1962/10/01

TOWNSHIP 24N RANGE SECTION

<u>N ELEVATION:</u>

322FT

DRILL DEPTH:

106FT

7E 35

UTM X

742,969.56

<u>UTM Y</u> 4,063,816.23

DEPTH TO BED:

FT

REMARKS: 1.5 MI N, 2 MI W OF BROSLEY

S.W.L. (AFTER CASING): 8.5

S.W.L. (BEFORE CASING):

LOG ID:

WELL TYPE

026622 Community Public Well

DRILL DATE:

1970/08/28

TOWNSHIP I

RANGE SECTION

ELEVATION:

325FT

DRILL DEPTH:

123FT

24N 7E 7

UTM X

<u>UTM Y</u>

DEPTH TO BED:

737,955.43 4,070,225.29 ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

"TEST HOLE"; 1 MI S OF HWY 60 ON HWY AA, 4 MI E OF POPLAR

BLUFF

LOG ID:

WELL TYPE

028124

Community Public Well

DRILL DATE:

1978/07/05

TOWNSHIP 24N RANGE SECTION

ELEVATION:

327FT

DRILL DEPTH:

DEPTH TO BED:

121FT 125FT 7E 7

UTM X UTM Y

737,898.43 4

4,070,196.29

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

12

FT

REMARKS:

2/26/2007 460



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 003015

WELL TYPE Oil Well

1923/00/00 DRILL DATE:

RANGE TOWNSHIP SECTION 24N 8E 30

ELEVATION:

317FT

DRILL DEPTH: 400FT

UTM X

UTMY 4,065,031.23

DEPTH TO BED: 250FT 747,470.63

ZONE 15

S.W.L. (BEFORE CASING):

DRY OIL TEST #2 GEORGE BATES - LOG FROM LETTERS OF H.I. **REMARKS**:

S.W.L. (AFTER CASING):

RUTH

LOG ID: 020264

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1961/06/25

TOWNSHIP

SECTION RANGE 8E

ELEVATION:

321FT

DRILL DEPTH: 92FT 24N

31

UTM X

UTMY 4,062,491.22

DEPTH TO BED:

746,204.62

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS: @ BROSLEY

S.W.L. (AFTER CASING):

LOG ID: 005281

WELL TYPE

Noncommunity Public Well

15

DRILL DATE:

1938/10/01

TOWNSHIP

RANGE SECTION

11

ELEVATION:

548FT

DRILL DEPTH:

60FT

25N 4E

UTM X

ZONE 15

714,245.23

UTMY 4,079,141.42

DEPTH TO BED:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

18

REMARKS: "COULD NOT LOCATE"

LOG ID:

WELL TYPE Private Well

021338

1962/09/08

TOWNSHIP

RANGE SECTION **ELEVATION:**

649FT

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

200FT

95FT

25N

4E 2

UTM X 714.726.23

UTM Y 4,080,020.42

ZONE 15

S.W.L. (BEFORE CASING):

FT

ON HWY 60 W 15 MI NW OF POPLAR BLUFF **REMARKS:**

S.W.L. (AFTER CASING):

130



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005008

WELL TYPE Private Well

1938/07/01 DRILL DATE:

TOWNSHIP 25N

RANGE SECTION 5E

ELEVATION:

445FT

DRILL DEPTH:

75FT

10

UTM X

ZONE 15

722,716.23

UTMY 4,078,617.40

DEPTH TO BED:

45

REMARKS:

300' SW OF KEARBY CLAY PIT - ROUBIDOUX RESIDUUM

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

LOG ID: 023084

WELL TYPE Private Well

DRILL DATE:

1964/08/12

TOWNSHIP

RANGE

SECTION 10

ELEVATION:

442FT

DRILL DEPTH:

70FT

15

25N 5E

> **UTM X** 722,016.23

UTMY 4,079,314.41

DEPTH TO BED:

FT

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

10 MI W OF HWY BB ON HWY 1, 1.5 MI E OF CANE CREEK

SCHOOL

LOG ID: 023086

WELL TYPE Private Well

1964/08/20

TOWNSHIP

RANGE

SECTION 10

ELEVATION:

515FT

DRILL DATE: DRILL DEPTH:

155FT

25N

5E

UTM X 722,416.23 **UTMY**

DEPTH TO BED:

140FT

85

4,078,916.40

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

1.5 MI SW OF JCT HWYS 60 & 67, 0.75 MI W OFF HWY 67

S.W.L. (AFTER CASING):

LOG ID: 022045

WELL TYPE Private Well

DRILL DATE:

1963/06/01

TOWNSHIP

RANGE

SECTION 11

ELEVATION:

497FT

DRILL DEPTH:

DEPTH TO BED:

160FT

105FT

25N

5E

UTM X

UTM Y

723.411.24

4,079,103.41

ZONE 15

REMARKS:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 023003

WELL TYPE Private Well

1964/07/14 DRILL DATE:

TOWNSHIP RANGE SECTION 25N 5E 11

ELEVATION:

552FT

DRILL DEPTH: 164FT

UTM X

UTMY 4,079,895.42

DEPTH TO BED: 135FT 723,211.24

ZONE 15

S.W.L. (BEFORE CASING):

FT

0.5 MI SE OF JCT HWYS 60 & 67, 6 MI NW OF POPLAR BLUFF **REMARKS**:

S.W.L. (AFTER CASING): 126

LOG ID: 023625

WELL TYPE Private Well

DRILL DATE:

1964/12/23

TOWNSHIP

REMARKS:

RANGE SECTION **ELEVATION:**

515FT

DRILL DEPTH:

185FT

25N 5E 11

UTM X

UTMY

DEPTH TO BED: 145FT

723,411.24

4,079,301.41

ZONE 15

S.W.L. (BEFORE CASING):

FT

5 MI NW OF POPLAR BLUFF ON HWY 67 REMARKS:

S.W.L. (AFTER CASING): 132

LOG ID: 005514

WELL TYPE

Private Well

DRILL DATE:

1939/06/03

TOWNSHIP RANGE SECTION **ELEVATION:** 559FT

DRILL DEPTH:

162FT

25N 5E 14

UTM X UTM Y

DEPTH TO BED:

110FT

723,231.23 4,077,907.39

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 017504

WELL TYPE

Private Well

DRILL DATE:

1958/08/01

RANGE TOWNSHIP

25N

SECTION

ELEVATION:

535FT

DRILL DEPTH:

DEPTH TO BED:

300FT

120FT

5E 14

> UTM X UTM Y

> > ZONE 15

724.031.24

4,077,907.39

S.W.L. (BEFORE CASING):

FT

5 MI NW OF POPLAR BLUFF ON HWY 67 (HENRICKSON ??) **REMARKS**:

S.W.L. (AFTER CASING): 175



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 002822

WELL TYPE Private Well

1933/00/00 DRILL DATE:

TOWNSHIP 25N

RANGE SECTION **ELEVATION:**

450FT

DRILL DEPTH:

152FT

5E 15

UTM X

UTMY

DEPTH TO BED: 5FT

722,150.23 4,077,599.39

ZONE 15

S.W.L. (BEFORE CASING):

"COULD NOT LOCATE" **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 010835

WELL TYPE Private Well

DRILL DATE:

1949/00/00

TOWNSHIP 25N

RANGE

SECTION

ELEVATION:

488FT

DRILL DEPTH:

135FT

5E 15

> **UTM X** 722,650.23

UTMY 4,078,302.40

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

ZONE 15 8 MI NW OF POPLAR BLUFF JUST S OF HWY 67; MAY BE

CRETACEOUS CLAYS

LOG ID:

WELL TYPE

012208

Noncommunity Public Well

DRILL DATE:

1952/05/01

TOWNSHIP

RANGE

SECTION

16

ELEVATION:

ZONE 15

381FT

DRILL DEPTH:

25N

5E

UTM X

UTM Y

DEPTH TO BED:

76FT 15FT

10

720,629.23

4,077,484.39

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

REMARKS:

LOG ID:

WELL TYPE

004673

Private Well

DRILL DATE:

TOWNSHIP

25N

RANGE

SECTION

ELEVATION:

576FT

DRILL DEPTH:

167FT

115FT

5E 20

UTM X

UTM Y 718.644.22 4,076,646.38

ZONE 15

S.W.L. (BEFORE CASING):

DEPTH TO BED:

FT

REMARKS:

S.W.L. (AFTER CASING):

25



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 013375

WELL TYPE Private Well

1955/02/01 DRILL DATE:

TOWNSHIP 25N

SECTION

ELEVATION:

460FT

DRILL DEPTH:

150FT

5E 21

RANGE

UTM X

UTMY

DEPTH TO BED:

75FT

720,845.22

4,076,275.37

ZONE 15

S.W.L. (BEFORE CASING):

JCT HWYS 67 & W **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 022754

WELL TYPE Private Well

DRILL DATE:

1964/03/31

TOWNSHIP

SECTION RANGE

ELEVATION:

510FT

DRILL DEPTH:

190FT

25N 5E 21

UTM X

UTMY 4,075,661.37

DEPTH TO BED:

720,045.22 ZONE 15

S.W.L. (BEFORE CASING):

140

FT

REMARKS:

GASCONADE & ROUBIDOUX RESIDUUM

S.W.L. (AFTER CASING):

WELL TYPE

Noncommunity Public Well

DRILL DATE:

LOG ID:

028436

1980/12/03

TOWNSHIP

RANGE SECTION **ELEVATION:**

528FT

DRILL DEPTH:

25N 5E 24

UTM X

UTM Y

DEPTH TO BED:

300FT 105FT

725,584.26

4,076,693.37

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: NO PRODUCTION OR CONSTRUCTION DATA

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

011517

Industrial High Capacity Well

DRILL DATE:

1951/03/01

TOWNSHIP

SECTION RANGE

ELEVATION:

508FT

DRILL DEPTH:

DEPTH TO BED:

280FT

120FT

25N

5E 25

726.104.26

UTM Y 4,074,727.35

ZONE 15

UTM X

S.W.L. (BEFORE CASING):

REMARKS:

POPLAR BLUFF STATION, 1.25 MI E OF GREEN FOREST & HWY 60

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 021258

WELL TYPE Private Well

1962/07/30 DRILL DATE:

TOWNSHIP 25N

RANGE SECTION **ELEVATION:**

463FT

DRILL DEPTH:

135FT

90

5E 25

UTM X

UTMY 4,074,627.35

DEPTH TO BED:

FT

726,104.26

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

LOG ID: 028053

WELL TYPE Private Well

DRILL DATE:

TOWNSHIP 25N

SECTION RANGE 25

ELEVATION:

480FT

DRILL DEPTH:

325FT

5E

UTM X

UTMY

DEPTH TO BED:

75FT

140

724,704.24

4,074,929.35 ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 028827

WELL TYPE Irrigation Well

DRILL DATE:

1988/08/01

TOWNSHIP

RANGE SECTION **ELEVATION:**

495FT

DRILL DEPTH:

420FT

25N 5E 25

UTM X UTM Y

DEPTH TO BED:

175FT

725,504.25 4,074,527.34

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

Location was found on a letter in the microfiche files in the Groundwater

Section

LOG ID:

WELL TYPE Private Well

002823

1933/00/00

TOWNSHIP

25N

SECTION RANGE

ELEVATION:

592FT

DRILL DATE: DRILL DEPTH:

160FT

5E 26

> UTM X 723,093.22

> > ZONE 15

UTM Y 4,074,499.34

DEPTH TO BED:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005358

WELL TYPE Private Well

1939/04/07 DRILL DATE:

RANGE TOWNSHIP 25N

SECTION 28

ELEVATION:

408FT

DRILL DEPTH:

80FT

UTM X 719,984.22

UTMY 4,073,740.34

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

DEPTH TO BED:

S.W.L. (AFTER CASING): 40

25FT

LOG ID: 017271

WELL TYPE Private Well

DRILL DATE:

1958/00/00

TOWNSHIP 25N

RANGE

5E

SECTION 29

ELEVATION:

453FT

DRILL DEPTH:

203FT

5E

UTM X

UTMY

DEPTH TO BED:

80FT

75

719,486.22 ZONE 15

4,074,592.36

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

FT

REMARKS: GASCONADE-ROUBIDOUX CONTACT NOT IDENTIFIED

("CANADIAN")

LOG ID: 022282

WELL TYPE

Private Well

DRILL DATE:

1963/09/26

TOWNSHIP 25N

REMARKS:

RANGE SECTION **ELEVATION:**

544FT

DRILL DEPTH:

190FT

118

5E

UTM X 722,585.24

ZONE 15

UTM Y 4,081,302.44

DEPTH TO BED:

3

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

005356

Private Well

DRILL DATE:

1939/04/01

TOWNSHIP

RANGE

SECTION

ELEVATION:

726.036.26

514FT

DRILL DEPTH:

144FT

25N

5E 36

9 MI N OF POPLAR BLUFF ON HWY 67

UTM X

ZONE 15

UTM Y 4,073,022.32

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

ROUBIDOUX RESIDUUM REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 017193

WELL TYPE Private Well

1957/07/01 DRILL DATE: **TOWNSHIP RANGE SECTION**

> 25N 5E 36

ELEVATION:

527FT

DRILL DEPTH: 200FT

UTM X 724,936.24

UTMY 4,072,113.31

DEPTH TO BED: 150FT

FT

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS:**

30FT

120

S.W.L. (AFTER CASING):

LOG ID: 021449

WELL TYPE Private Well

DRILL DATE:

DEPTH TO BED:

TOWNSHIP SECTION RANGE 25N 5E 4

ELEVATION: 413FT

DRILL DEPTH: 80FT

UTM X UTMY

719,985.23 4,080,515.43

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 022646

WELL TYPE Private Well

DRILL DATE:

1964/02/27

TOWNSHIP RANGE SECTION **ELEVATION:** 575FT

DRILL DEPTH:

160FT

25N 5E 6

UTM X UTM Y

DEPTH TO BED:

120FT

55

716,663.23 4,080,494.43

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 8 MI N ON HWY 67, 2 MI W ON HWY 60

S.W.L. (AFTER CASING):

LOG ID: 023627

WELL TYPE Private Well

DRILL DATE:

1965/06/18

SECTION TOWNSHIP RANGE

25N

ELEVATION:

420FT

DRILL DEPTH: DEPTH TO BED: 160FT 100FT 5E 9

> UTM X UTM Y

719.816.23

4,078,674.40

ZONE 15

S.W.L. (BEFORE CASING):

FT

7 MI W OF GREEN FOREST CHURCH ON HWY PP **REMARKS**:

S.W.L. (AFTER CASING): 119



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 021062

WELL TYPE

Noncommunity Public Well

1962/06/16 DRILL DATE:

TOWNSHIP 25N

REMARKS:

RANGE SECTION

14

ELEVATION:

413FT

DRILL DEPTH:

98FT

6E 14

UTM X

UTMY 4,077,713.38

DEPTH TO BED:

65FT

35

732,853.36

ZONE 15

S.W.L. (BEFORE CASING):

FT

S.W.L. (AFTER CASING):

WELL TYPE

LOG ID: 022325

Private Well

DRILL DATE:

1963/10/19

TOWNSHIP

SECTION RANGE

ELEVATION:

361FT

DRILL DEPTH:

80FT

25N 6E

UTM X

UTMY

DEPTH TO BED:

50FT

20

733,253.37

4,078,131.39

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 022974

WELL TYPE

Private Well

DRILL DATE:

1964/07/28

TOWNSHIP

SECTION RANGE 16

ELEVATION:

387FT

DRILL DEPTH:

175FT

25N 6E

UTM X 730,606.33

UTM Y 4,078,534.39

DEPTH TO BED:

15FT

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

FT

REMARKS: 0.25 MI E OF HILLARD, OFF HWY W

65

LOG ID: 012354

WELL TYPE Private Well

DRILL DATE:

1953/03/24

TOWNSHIP 25N

RANGE

SECTION

ELEVATION:

448FT

DRILL DEPTH:

DEPTH TO BED:

92FT

6E 17

UTM X

ZONE 15

UTM Y

728.739.30

4,077,067.38

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

74

REMARKS:

1 SAMPLE - ROUBIDOUX RESIDUUM - E OF HWY 67



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012355

WELL TYPE Private Well

DRILL DATE:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

1953/03/30

TOWNSHIP 25N

RANGE SECTION 6E

ELEVATION:

486FT

DRILL DEPTH:

134FT

17

UTM X

728,339.30

UTMY 4,077,277.38

DEPTH TO BED:

FT

106

2 SAMPLES - ROUBIDOUX RESIDUUM **REMARKS**:

ZONE 15

LOG ID:

WELL TYPE Private Well

018809 DRILL DATE:

1958/07/01

TOWNSHIP 25N

RANGE

SECTION ELEVATION: 400FT

DRILL DEPTH:

90FT

6E

UTM X

UTMY

DEPTH TO BED:

45FT

35

4,077,907.39 729,139.31

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS: ON OLD HWY 67 N OF POPLAR BLUFF, 0.25 MI W OF AGEE

17

CHURCH

LOG ID: 022141

WELL TYPE Private Well

DRILL DATE:

1963/06/01

TOWNSHIP

SECTION RANGE

ELEVATION:

441FT

DRILL DEPTH:

155FT

75

25N 6E 17

UTM X 727,939.30

UTM Y 4,078,537.40

DEPTH TO BED:

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

5 MI W OF POPLAR BLUFF, 0.25 MI S OF AGEE SCHOOL -

17

ROUBIDOUX RESIDUUM

LOG ID:

WELL TYPE Private Well

022327

1963/10/29

TOWNSHIP

RANGE SECTION **ELEVATION:**

455FT

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

140FT 90FT

90

25N 6E

UTM X

UTM Y

728.839.31 4,077,592.38 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

2/26/2007

470



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 023639

DRILL DEPTH:

WELL TYPE Private Well

1965/06/06 DRILL DATE:

97FT

DEPTH TO BED: 55FT

S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 20

RANGE TOWNSHIP SECTION 25N 6E 17

ELEVATION:

367FT

UTM X 729,239.31

UTMY 4,077,907.39

ZONE 15

ON LAKE LOCH LOMA, 5 MI NW OF POPLAR BLUFF ON HWY W

LOG ID: 005511

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1939/07/15

145FT

TOWNSHIP 25N

REMARKS:

RANGE SECTION 6E 18

ELEVATION:

490FT

UTM X

UTMY 4,077,998.39

727,362.29

ZONE 15

S.W.L. (BEFORE CASING):

ROUBIDOUX RESIDUUM REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 019073

DRILL DEPTH:

WELL TYPE Private Well

DRILL DATE: 1960/05/31

150FT

DEPTH TO BED: 135FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

TOWNSHIP 25N

RANGE 6E

0.75 MI W OF AGEE SCHOOL

SECTION 18

ELEVATION:

497FT

UTM X

UTM Y 4,078,104.39

727,062.28

ZONE 15

110

LOG ID: 011423

WELL TYPE Private Well

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

1950/06/01

150FT

90FT

TOWNSHIP 25N

RANGE 6E

SECTION 19

ELEVATION:

509FT

UTM X UTM Y

726.801.28 4,076,927.38

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS:

REMARKS:

1 MI N OF HWY 67, 5 MI N OF POPLAR BLUFF

S.W.L. (AFTER CASING): 120



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 011425

DRILL DEPTH:

WELL TYPE Private Well

1950/06/06 DRILL DATE: **TOWNSHIP RANGE SECTION**

> 25N 6E

ELEVATION:

499FT

DEPTH TO BED: 100FT

UTM X 727,101.28

UTMY 4,076,487.37

ZONE 15

S.W.L. (BEFORE CASING):

FT

5 MI NW OF POPLAR BLUFF **REMARKS:**

S.W.L. (AFTER CASING):

100

125FT

LOG ID: 012005

WELL TYPE Private Well

DRILL DATE:

1951/00/00

TOWNSHIP

RANGE

SECTION

19

ELEVATION:

ZONE 15

ZONE 15

504FT

DRILL DEPTH:

160FT

25N 6E 19

> **UTM X** 726,301.27

UTMY 4,076,487.37

DEPTH TO BED:

REMARKS:

formerly under name of Pop Railey - 5 mi N of Poplar Bluff on Hwy 67

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 012209

WELL TYPE

Private Well

DRILL DATE:

1952/04/01

TOWNSHIP 25N

RANGE

SECTION 19

ELEVATION:

412FT

DRILL DEPTH:

125FT

6E

UTM X 727,501.29

UTM Y 4,076,487.37

DEPTH TO BED:

80FT

65

REMARKS:

formerly Bernard Wheatley - Hwy 67 & Barron Rd

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 022180

WELL TYPE

Private Well

DRILL DATE:

141FT

TOWNSHIP 25N

RANGE 6E

SECTION 19

ELEVATION:

485FT

UTM Y

DRILL DEPTH: DEPTH TO BED:

UTM X 727.301.28

4,076,267.37

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS:

0.5 MI N OF OAK GROVE CHURCH, 5 MI NW OF POPLAR BLUFF

S.W.L. (AFTER CASING): 95



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 022249

WELL TYPE Private Well

DRILL DATE: 1963/10/04

04 <u>TOWNSHIP</u> 25N SECTION 19 **ELEVATION**:

500FT

DRILL DEPTH: 160FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

<u>UTM X</u> 727,101.28 <u>UTM Y</u> 4,076,487.37

DEPTH TO BED:

FT

REMARKS: F

ZONE 15 ROUBIDOUX RESIDUUM; 4 MI NW OF POPLAR BLUFF, 0.5 MI N OF

OAK GROVE CH.

RANGE

6E

LOG ID:

026503

WELL TYPE

Noncommunity Public Well

115

DRILL DATE:

1969/12/24

TOWNSHIP

RANGE

SECTION 19 **ELEVATION**:

ZONE 15

DRILL DEPTH:

250FT

25N 6E

UTM X

UTM Y

509FT

DEPTH TO BED: 125FT

727,201.28

4,075,719.36

S.W.L. (BEFORE CASING):

FT

FT

FT

REMARKS:

1 MI N OF POPLAR BLUFF ON HWY 67 "NO WATER HORIZONS"

S.W.L. (AFTER CASING):

LOG ID:

027831

WELL TYPE Private Well

DRILL DATE:

1971/07/01

TOWNSHIP

RANGE SECTION

ELEVATION:

476FT

DRILL DEPTH:

165FT

25N 6E

UTM X

<u>UTM Y</u>

DEPTH TO BED:

115FT

120

727,001.28 4,076,158.37

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

70

<u>REMARKS:</u>

LOG ID:

WELL TYPE

021260 Pri

Private Well

DRILL DATE:

1962/07/12

TOWNSHIP 25N RANGE

SECTION

19

ELEVATION:

729.250.31

449FT

DRILL DEPTH:

DEPTH TO BED:

172FT 60FT 6E 20

UTM X

<u>UTM Y</u> 4,075,950.36

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

80

REMARKS:

2/26/2007

473



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 021340

DEPTH TO BED:

WELL TYPE Private Well

1962/09/18 DRILL DATE:

TOWNSHIP 25N

SECTION 20

20

ELEVATION:

376FT

DRILL DEPTH: 120FT **RANGE** 6E

UTM X **UTMY** 4,076,056.36

728,550.30

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: LEE BUREN, OR BUREN LEE

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

022979

Noncommunity Public Well

15

25FT

DRILL DATE:

1964/07/06

TOWNSHIP

SECTION RANGE

ELEVATION:

354FT

DRILL DEPTH:

75FT

10

25FT

25N 6E

UTM X

UTMY

DEPTH TO BED:

729,150.31

4,076,266.37

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 005360

WELL TYPE Private Well

DRILL DATE:

1939/03/19

TOWNSHIP

25N

SECTION RANGE

ELEVATION:

388FT

DRILL DEPTH:

71FT

6E 23

UTM X

UTM Y

DEPTH TO BED:

732,964.36 4,075,579.36

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: possibly spelled F.A. Cillian - Roubidoux Residuum

S.W.L. (AFTER CASING):

LOG ID: 022530

WELL TYPE Private Well

1964/01/08

TOWNSHIP

RANGE

SECTION 23

ELEVATION:

352FT

DRILL DATE: DRILL DEPTH:

95FT

25N

6E

UTM X

UTM Y

DEPTH TO BED:

FT

REMARKS:

733.364.36 4,075,579.36 ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

28

formerly in name of Fred Killian - 2 mi NW of Poplar Bluff; Roubidoux

Residdum



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 011984

WELL TYPE Private Well

1951/00/00 DRILL DATE:

TOWNSHIP 25N

RANGE SECTION 6E

ELEVATION:

354FT

DRILL DEPTH:

80FT

26

UTM X 733,483.37

UTMY 4,074,686.34

DEPTH TO BED:

S.W.L. (BEFORE CASING):

REMARKS: **ROUBIDOUX RESIDUUM**

S.W.L. (AFTER CASING):

LOG ID: 004804

WELL TYPE Private Well

DRILL DATE:

1938/05/02

TOWNSHIP

REMARKS:

REMARKS:

RANGE

ROUBIDOUX RESIDUUM

SECTION 27

ELEVATION:

ZONE 15

434FT

DRILL DEPTH:

90FT

25N 6E

> UTM X 731,451.34

UTMY 4,073,932.34

DEPTH TO BED:

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

30

FT

WELL TYPE

Private Well

DRILL DATE:

LOG ID:

006689

1939/09/07

TOWNSHIP

RANGE

SECTION

ELEVATION:

392FT

DRILL DEPTH:

88FT

25N

6E 27

UTM X

UTM Y

DEPTH TO BED:

80FT

731,951.34 4,074,140.34

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 003147

WELL TYPE

Private Well

1934/12/12

TOWNSHIP 25N

RANGE

SECTION

ELEVATION:

432FT

DRILL DATE: DRILL DEPTH:

90FT

6E 28

UTM X

UTM Y

DEPTH TO BED:

729.608.31 4,073,798.33

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 004739

WELL TYPE Private Well

RANGE DRILL DATE: **TOWNSHIP SECTION ELEVATION:** 464FT

25N 6E 28 **DRILL DEPTH:** 144FT

UTM X **UTMY** DEPTH TO BED:

730,908.33 4,074,739.35

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING): 25

LOG ID: 005359

WELL TYPE Private Well

TOWNSHIP SECTION DRILL DATE: 1939/03/11 **RANGE ELEVATION:** 428FT

25N 6E 28 DRILL DEPTH: 110FT

UTM X **UTMY** DEPTH TO BED: 730,408.32 4,075,262.35

ZONE 15

S.W.L. (BEFORE CASING): **ROUBIDOUX RESIDUUM** REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 006687

WELL TYPE Private Well

DRILL DATE: 1939/08/10 **TOWNSHIP RANGE SECTION ELEVATION:** 452FT

25N 6E 28 137FT

REMARKS:

DRILL DEPTH: UTM X UTM Y

DEPTH TO BED: 10FT 730,908.33 4,074,008.34

MAY BE MOSTLY RESIDUUM TO TD

6E

28

ZONE 15 S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 006815

DRILL DEPTH:

WELL TYPE Private Well

1941/04/12 **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 462FT

UTM X UTM Y DEPTH TO BED: 730,208.32 4,074,008.34 145FT

ZONE 15

S.W.L. (BEFORE CASING): FT

25N

REMARKS: IN POPLAR BLUFF

S.W.L. (AFTER CASING): 116

177FT



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 019077

DRILL DEPTH:

WELL TYPE Private Well

1959/04/15 DRILL DATE:

180FT

DEPTH TO BED: 160FT **TOWNSHIP** 25N

RANGE SECTION 6E 28

ELEVATION:

463FT

UTM X 731,008.33

UTMY 4,074,426.34

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

FT

FT

0.5 MI N OF POPLAR BLUFF OFF BARREN RD **REMARKS**:

S.W.L. (AFTER CASING): 120

LOG ID: 022070

WELL TYPE Private Well

DRILL DATE:

1963/07/26

TOWNSHIP

SECTION RANGE

ELEVATION:

423FT

DRILL DEPTH:

DEPTH TO BED:

167FT

25N 6E

UTM X

UTMY

130FT

28

731,008.33 4,075,052.35

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: N 14TH ST, POPLAR BLUFF

S.W.L. (AFTER CASING): 85

LOG ID: 022995

WELL TYPE Private Well

DRILL DATE:

1964/07/15

TOWNSHIP 25N

RANGE SECTION **ELEVATION:**

428FT

DRILL DEPTH:

120FT

80

6E 28

> UTM X 731,008.33

> > ZONE 15

UTM Y 4,074,634.34

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

formerly in name of Poplar Bluff Jaycees Club - N 14th St. Poplar Bluff;

Roubidoux Residuum

LOG ID: 023631

WELL TYPE Private Well

DRILL DATE:

1964/10/16

TOWNSHIP 25N

RANGE

SECTION

ELEVATION:

459FT

DRILL DEPTH:

DEPTH TO BED:

98FT 35FT

6E 28

UTM X

UTM Y

730.308.32 ZONE 15

4,074,530.34

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

5

REMARKS:

WELL MISSLOCATED - NOT OWNED BY MARLER; POOR SAMPLES



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 023640

DEPTH TO BED:

WELL TYPE Private Well

1965/02/10 DRILL DATE:

TOWNSHIP 25N

RANGE SECTION **ELEVATION:**

388FT

109FT **DRILL DEPTH:**

6E 28

UTM X 730,808.33

UTMY 4,074,844.35

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

45

REMARKS:

formerly in name of Mrs. Stella Richardson - N 14th St, 0.75 mi N of

Barron Rd, Poplar Bluff; Residual Roubidoux

LOG ID: 023651

WELL TYPE Private Well

DRILL DATE:

TOWNSHIP RANGE SECTION **ELEVATION:**

451FT

DRILL DEPTH:

135FT

25N 6E 28

UTM X

UTMY

DEPTH TO BED: 105FT 731,008.33

4,074,426.34

ZONE 15

S.W.L. (BEFORE CASING):

FT **REMARKS**:

formerly in name of Malin - 110 14th St, Poplar Bluff

S.W.L. (AFTER CASING):

92

LOG ID: 002827

WELL TYPE Private Well

DRILL DATE:

1933/00/00

TOWNSHIP RANGE SECTION **ELEVATION:**

450FT

DRILL DEPTH:

93FT 5FT

25N 6E 29

> UTM X UTM Y

DEPTH TO BED:

729,182.31 4,075,028.35

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Private Well 005009

1938/05/27

RANGE TOWNSHIP

SECTION 29

ELEVATION:

486FT

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

112FT

80FT

88

25N 6E

UTM X

UTM Y 4,074,402.34

727.982.29 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005280

WELL TYPE Private Well

DRILL DATE: 1938/09/01

TOWNSHIP 25N RANGE SECTION

ELEVATION:

432FT

DRILL DEPTH:

70FT

6E 29

<u>UTM X</u> 728,182.29 <u>UTM Y</u> 4,073,984.34

DEPTH TO BED:

S.W.L. (BEFORE CASING): FT

42

REMARKS:

ZONE 15

LOG ID: 005516

S.W.L. (AFTER CASING):

WELL TYPE Private Well

DRILL DATE:

1939/06/20

TOWNSHIP

RANGE SECTION

ELEVATION:

426FT

DRILL DEPTH:

73FT

25N 6E

29

SECTION

29

UTM X

UTM Y

DEPTH TO BED:

60FT

728,882.30

30 4,074,714.35 ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

LOG ID: 008375

WELL TYPE Private Well

DRILL DATE:

1964/09/06

TOWNSHIP I

<u>RANGE</u>

ELEVATION:

465FT

DRILL DEPTH:

175FT

25N 6E

@ LOMA LINDA

<u>UTM X</u> 728,482.30 <u>UTM Y</u> 4,074,714.35

DEPTH TO BED:

50FT

70

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

011158

Noncommunity Public Well

DRILL DATE:

1949/09/01

TOWNSHIP

RANGE SECTION

ELEVATION:

434FT

DRILL DEPTH:

DEPTH TO BED:

200FT

30FT

55

25N

6E 29

итм х ит

ZONE 15

729,182.31

<u>UTM Y</u>

725,1

4,074,610.34

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

FT

REMARKS:

REMARKS:

"TOP 100' OF SAMPLES MAY NOT BE FROM THIS WELL", MIXED IN

SHIPMENT

2/26/2007 479



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 011577

WELL TYPE Private Well

1950/00/00 DRILL DATE:

TOWNSHIP 25N

RANGE SECTION 6E

ELEVATION:

440FT

UTMY

DRILL DEPTH:

304FT

29

UTM X

DEPTH TO BED: 85FT

728,982.30 4,074,610.34

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

3 MI N OF POPLAR BLUFF ON HWY 67; DEEPENED 1953 TO 450' **REMARKS**:

(SEE #12203)

LOG ID: 012004

WELL TYPE Private Well

DRILL DATE:

1951/00/00

TOWNSHIP

RANGE SECTION **ELEVATION:**

451FT

DRILL DEPTH:

94FT

45

25N 6E 29

UTM X

UTMY

DEPTH TO BED:

70FT

45

728,782.30

4,074,610.34

ZONE 15

S.W.L. (BEFORE CASING):

FT

3 MI N OF POPLAR BLUFF OFF HWY 67 **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 012008

WELL TYPE Private Well

DRILL DATE:

1951/00/00

TOWNSHIP

RANGE

ELEVATION:

431FT

DRILL DEPTH:

125FT

25N 6E

UTM X

UTM Y

DEPTH TO BED:

80FT

SECTION

29

729,282.31 4,074,714.35

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 6 MI E OF POPLAR BLUFF ON HWY 60, ON BARREN RD

S.W.L. (AFTER CASING):

75

LOG ID: 012203

WELL TYPE Private Well

1950/00/00

TOWNSHIP

25N

RANGE SECTION **ELEVATION:**

440FT

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

450FT

85FT

45

6E

UTM X UTM Y

728.982.30

4,074,610.34

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

OLD WELL (#11577) DEEPENED 304-450 1953; 3 MI N OF POP

29

BLUFF IN 67



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 013377

WELL TYPE Private Well

1955/00/00 DRILL DATE:

TOWNSHIP 25N

RANGE SECTION 29

ELEVATION:

461FT

DRILL DEPTH:

125FT

6E

UTM X

UTMY

DEPTH TO BED:

80FT

75

728,582.30

4,074,402.34

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

LOG ID: 018804

WELL TYPE Private Well

DRILL DATE:

1960/01/25

TOWNSHIP

SECTION RANGE 29

ELEVATION:

459FT

DRILL DEPTH:

150FT

25N 6E

UTM X

UTMY

DEPTH TO BED:

45FT

SECTION

29

729,382.31

4,074,818.35 ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

LOG ID:

WELL TYPE Private Well

020103

1961/08/01

TOWNSHIP

RANGE

ELEVATION:

397FT

DRILL DATE: DRILL DEPTH:

190FT

25N 6E

UTM X

UTM Y

DEPTH TO BED:

729,182.30

4,073,984.34

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: HOUSING DEVELOPMENT - "VERY POOR SAMPLES, DO NOT USE"

S.W.L. (AFTER CASING):

LOG ID: 020258

WELL TYPE Private Well

DRILL DATE:

1961/03/01

TOWNSHIP

FT

RANGE

SECTION

ELEVATION:

462FT

DRILL DEPTH:

152FT

25N 6E 29

> UTM X 728,882.30

UTM Y 4,074,298.34

DEPTH TO BED:

70FT

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

80

10

ON HWY 67, 3 MI N OF POPLAR BLUFF **REMARKS:**



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 020260

WELL TYPE Private Well

1961/06/03 DRILL DATE:

RANGE TOWNSHIP SECTION 25N 6E 29

ELEVATION:

458FT

DRILL DEPTH:

DEPTH TO BED:

210FT 90FT

UTM X **UTMY** 729,182.31 4,074,610.34

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

70

FT

REMARKS: ON HWY 67 1 MI N OF POPLAR BLUFF

LOG ID: 020266

WELL TYPE Private Well

DRILL DATE:

TOWNSHIP

REMARKS:

RANGE SECTION **ELEVATION:**

483FT

DRILL DEPTH:

170FT

25N 6E 29

UTM X

UTMY

DEPTH TO BED: 85FT

728,382.29

4,075,028.35

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 020772

WELL TYPE Private Well

1962/03/15

TOWNSHIP RANGE 25N

ELEVATION:

728,582.30

444FT

DRILL DATE: DRILL DEPTH:

128FT

6E 29

UTM X

ZONE 15

UTMY 4,074,194.34

DEPTH TO BED:

75FT

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

60

FT

REMARKS: 3 MI N OF POPLAR BLUFF OFF HWY 67

LOG ID:

020784

WELL TYPE Private Well

DRILL DATE:

TOWNSHIP 25N

RANGE SECTION 6E 29

SECTION

ELEVATION:

UTM X

454FT

DRILL DEPTH: DEPTH TO BED: 110FT 55FT

UTM Y

728.782.30 4,074,610.34 ZONE 15

S.W.L. (BEFORE CASING):

FT

3 MI N OF POPLAR BLUFF, 0.25 MI OFF HWY 67 **REMARKS**:

S.W.L. (AFTER CASING):

80



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 021054

WELL TYPE Private Well

1962/03/28 DRILL DATE:

TOWNSHIP 25N

RANGE SECTION **ELEVATION:**

435FT

DRILL DEPTH:

115FT

6E 29

UTM X 728,782.30

UTMY 4,074,194.34

ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

60

LOG ID: 021056

WELL TYPE Private Well

DRILL DATE:

1962/05/10

TOWNSHIP

SECTION RANGE

ELEVATION:

457FT

DRILL DEPTH:

127FT

25N 6E

UTM X

UTMY

DEPTH TO BED:

75FT

728,782.30

ZONE 15

4,074,402.34

S.W.L. (BEFORE CASING):

REMARKS:

formerly in name of Buren Lee - Sunset Hills, 3 mi N of Poplar Bluff

S.W.L. (AFTER CASING):

LOG ID: 021452

WELL TYPE

Private Well

DRILL DATE:

1962/10/20

TOWNSHIP

RANGE

SECTION 29

29

ELEVATION:

433FT

DRILL DEPTH:

125FT

25N

6E

UTM X

UTMY

DEPTH TO BED:

65FT

60

728,882.30

4,073,984.34

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

formerly in name of John DeArman - on Sunset Hills Rd, 4 mi NW of

Poplar Bluff

LOG ID:

WELL TYPE

022175

Private Well

DRILL DATE:

1963/07/27

TOWNSHIP

RANGE

SECTION 29

ELEVATION:

462FT

200FT

25N

DRILL DEPTH: DEPTH TO BED:

65FT

80

6E

UTM X 728,582.30

UTM Y 4,075,028.35

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

formerly in name of Ogle - 3 mi N of Poplar Bluff on Hwy 67



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 022464

DEPTH TO BED:

WELL TYPE Private Well

1963/12/08 DRILL DATE: **TOWNSHIP RANGE SECTION**

> 25N 6E

ELEVATION:

455FT

DRILL DEPTH: 135FT

UTM X

UTMY 4,074,818.35

728,982.30

ZONE 15

S.W.L. (BEFORE CASING):

FT

LOMA LINDA, 3 MI N OF POPLAR BLUFF ON HWY 67 **REMARKS:**

S.W.L. (AFTER CASING):

LOG ID: 022653

WELL TYPE Private Well

DRILL DATE:

1964/02/08

TOWNSHIP 25N

RANGE

SECTION 29

29

ELEVATION:

437FT

DRILL DEPTH:

140FT

80FT

70

6E

UTM X

UTMY

DEPTH TO BED: 65FT

728,782.30 ZONE 15

4,074,610.34

S.W.L. (BEFORE CASING):

FT

FT

REMARKS:

ON OAK GROVE RD, 1.5 MI NW OF POPLAR BLUFF

S.W.L. (AFTER CASING): 50

LOG ID: 022748

WELL TYPE Private Well

DRILL DATE:

1964/03/30

TOWNSHIP 25N

SECTION RANGE

ELEVATION:

403FT

DRILL DEPTH:

90FT

65

6E 29

> **UTM X** 729,182.30

UTMY 4,074,194.34

DEPTH TO BED:

ZONE 15 **REMARKS:** formerly in name of Sidney Russell - 2 mi N of Poplar Bluff on Hwy 67

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 022879

WELL TYPE Private Well

1964/05/06

TOWNSHIP 25N

RANGE

SECTION

ELEVATION:

430FT

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

112FT

70FT

6E 29

UTM X

UTM Y

728.882.30

4,074,402.34

ZONE 15

S.W.L. (BEFORE CASING): 50

S.W.L. (AFTER CASING):

FT **REMARKS:**

formerly in name of Claude Sheridan



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 023062

DRILL DEPTH:

WELL TYPE Private Well

1964/08/29 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:**

> 25N 6E 29 122FT

UTM X UTMY DEPTH TO BED: 75FT 728,782.30 4,074,402.34

ZONE 15

432FT

S.W.L. (BEFORE CASING): formerly in name of Claude Spencer - 0.25 mi W of Hwy 67 on Oak **REMARKS**:

Grove Rd, 3 mi NW of Poplar Bluff S.W.L. (AFTER CASING):

LOG ID: 023085

WELL TYPE Private Well

DRILL DATE: 1964/09/08 **TOWNSHIP SECTION RANGE ELEVATION:** 460FT

25N 6E 29 DRILL DEPTH: 140FT

UTM X UTMY DEPTH TO BED: 110FT 728,782.30 4,075,028.35

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS**: 4 MI NW OF POPLAR BLUFF AT JCT HWYS 67 & W

S.W.L. (AFTER CASING): 70

LOG ID: **WELL TYPE**

Noncommunity Public Well 012893

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 498FT

25N 6E 30 **DRILL DEPTH:** 320FT

UTM X **UTMY DEPTH TO BED:** 727,130.28 4,074,592.34 55FT

ZONE 15 S.W.L. (BEFORE CASING):

REMARKS: 5 MI NW OF POPLAR BLUFF ON HWY 67, 1 MI W OF **NORTHWALD-AUTEL**

S.W.L. (AFTER CASING):

LOG ID: **WELL TYPE**

Noncommunity Public Well 025165

SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION: 462FT

DRILL DEPTH: 430FT UTM X UTM Y DEPTH TO BED: 727.330.28 4,075,238.35 195FT

6E

30

ZONE 15

S.W.L. (BEFORE CASING): 55 FT POOR SAMPLES - CAVED THROUGHOUT - NO RB-GASC **REMARKS:**

25N

CONTACT PICKED S.W.L. (AFTER CASING): FΤ 75



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005355

WELL TYPE Private Well

1937/03/25 DRILL DATE:

TOWNSHIP 25N

RANGE SECTION **ELEVATION:**

514FT

DRILL DEPTH:

151FT

6E 31

UTM X

UTMY 4,073,473.33

DEPTH TO BED:

726,458.26

ZONE 15

S.W.L. (BEFORE CASING):

ROUBIDOUX RESIDUUM REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 011135

WELL TYPE

Industrial High Capacity Well

DRILL DATE:

1949/10/01

TOWNSHIP

SECTION RANGE

6E

ELEVATION:

489FT

DRILL DEPTH:

775FT

25N

31

UTM X UTMY

ZONE 15

726,358.26 4,072,114.31

DEPTH TO BED: 75FT S.W.L. (BEFORE CASING):

FT

REMARKS:

450' E OF WELL #1 (#11335); deepened from 650' as #11334, and

#11505.

LOG ID:

WELL TYPE

011334

Industrial High Capacity Well

72

DRILL DATE:

1949/10/01

TOWNSHIP

RANGE

SECTION

ELEVATION:

489FT

DRILL DEPTH:

775FT

25N

6E

UTM X

UTMY

DEPTH TO BED:

75FT

31

726,358.26 4,072,114.31

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS: SEE LOG #11135, old well deepened 650-775 ft. (also #11505).

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

011335

Industrial High Capacity Well

72

DRILL DATE:

1949/00/00

TOWNSHIP 25N

RANGE

SECTION

ELEVATION:

476FT

DRILL DEPTH:

DEPTH TO BED:

650FT

50FT

6E

31

UTM X

UTM Y 4,072,114.31

726,358.26

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

MANY CREVICES 450-578'; GREEN FOREST

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 011505

WELL TYPE

INDUSTRIAL HIGH CAPACITY WELL

1949/10/01 DRILL DATE:

TOWNSHIP RANGE SECTION 25N 6E 31

ELEVATION:

489FT

DRILL DEPTH: 775FT

UTM X

UTMY

DEPTH TO BED: 75FT 726,358.26

4,072,114.31

ZONE 15

S.W.L. (BEFORE CASING):

FT

OLD WELL DEEPENED (#11135 & #11334) FROM 650-775'. **REMARKS**:

31

S.W.L. (AFTER CASING): 72

LOG ID: 022167

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE: 1963/07/09

TOWNSHIP SECTION RANGE

6E

25N

ELEVATION: 384FT

DRILL DEPTH: 85FT

UTM X

727,558.28 4,072,114.31 ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: HWY PP 1 MI E OF GREEN FOREST CHURCH

S.W.L. (AFTER CASING): 15

LOG ID: 022810

WELL TYPE

Private Well

DRILL DATE:

1964/02/11

TOWNSHIP RANGE SECTION 25N

ELEVATION:

727,158.27

405FT

4,072,114.31

UTMY

DRILL DEPTH:

95FT

15

80FT

6E 31

UTM X **UTMY**

ZONE 15

DEPTH TO BED:

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID:

WELL TYPE

Private Well 022942

DRILL DATE:

DEPTH TO BED:

1964/06/18

RANGE SECTION

ON HWY PP E MI W OF JCT HWYS 67 & PP

ELEVATION: 478FT

DRILL DEPTH:

178FT

6E 31

> UTM X UTM Y

726.558.26

4,072,950.32

115FT

110

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

FT

REMARKS:

0.5 MI NE OF GREEN FOREST CHURCH, 4 MI W OF POPLAR **REMARKS:**

BLUFF

TOWNSHIP

25N



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 023065

DEPTH TO BED:

WELL TYPE Private Well

1964/09/04 DRILL DATE:

101FT

65FT

20

TOWNSHIP RANGE 25N

SECTION 31

ELEVATION:

403FT

DRILL DEPTH:

6E

UTM X 727,158.27

UTMY 4,072,114.31

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

formerly in name of F. Fudge - on Hwy PP 0.5 mi E of Green Forest

Church

LOG ID: 023087

WELL TYPE

DRILL DATE:

Private Well

DEPTH TO BED:

75FT

25N

RANGE

SECTION 31

ELEVATION:

455FT

DRILL DEPTH: 135FT **TOWNSHIP**

6E

UTM X

UTMY

727,258.27 4,072,637.32

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

formerly in name of Ross Marion - 1 mi N, 0.5 mi E of Green Forest

Church, 4 mi W of Poplar Bluff

LOG ID: 002824

WELL TYPE Private Well

DRILL DATE:

1933/00/00

TOWNSHIP 25N

RANGE

ELEVATION:

341FT

DRILL DEPTH:

105FT

6E

"COULD NOT LOCATE

UTM X

UTMY

DEPTH TO BED:

90FT

32

SECTION

4,072,873.32

728,705.29

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 002919

WELL TYPE

Private Well

DRILL DATE:

TOWNSHIP

RANGE

SECTION

ELEVATION:

443FT

DRILL DEPTH:

82FT

25N

6E

33

UTM X

730.335.32

UTM Y

4,072,904.32

DEPTH TO BED:

FT

REMARKS:

REMARKS:

"COULD NOT LOCATE" - ROUBIDOUX RESIDUUM

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

57

2/26/2007

488



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 004657

WELL TYPE Private Well

1938/03/17 DRILL DATE:

TOWNSHIP 25N

SECTION

ELEVATION:

447FT

DRILL DEPTH:

111FT

6E 33

RANGE

UTM X

UTMY

DEPTH TO BED:

730,635.32

4,073,636.33

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS: **ROUBIDOUX RESIDUUM**

LOG ID: 006688

WELL TYPE Private Well

DRILL DATE:

1940/04/27

TOWNSHIP 25N

SECTION RANGE

ELEVATION:

414FT

DRILL DEPTH:

154FT

6E

UTM X

UTMY

DEPTH TO BED:

80FT

33

729,835.31

4,072,382.32

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

007146

1941/07/22

TOWNSHIP

RANGE 6E

SECTION 34

ELEVATION:

455FT

DRILL DATE: DRILL DEPTH:

275FT

25N

UTM X

UTMY

DEPTH TO BED:

145FT

731,678.34

4,073,666.33

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

REMARKS:

formerly in name of W.L. Cleveland - in Poplar Bluff - could be bailed dry to 270', water in opening @ 270'

85

LOG ID: 025599

WELL TYPE Irrigation Well

DRILL DATE:

50FT

TOWNSHIP

25N

RANGE 6E

SECTION 36

ELEVATION:

335FT

UTM Y

DRILL DEPTH:

DEPTH TO BED:

UTM X

735,938.40 4,072,449.32

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 022462

DRILL DEPTH:

WELL TYPE Private Well

1963/11/23 DRILL DATE:

118FT

FT

DEPTH TO BED: 75FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING): 60

LOG ID: **WELL TYPE** Private Well 005513

DRILL DATE:

1939/07/07

DRILL DEPTH: 80FT

DEPTH TO BED: 60FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 022964

WELL TYPE Private Well

DRILL DATE: 1964/07/06

DRILL DEPTH: 192FT

DEPTH TO BED: 55FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 018098

WELL TYPE Private Well

1959/03/20 **DRILL DATE:**

DRILL DEPTH: 82FT

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING): 15 **TOWNSHIP RANGE SECTION** 25N

6E

ELEVATION:

413FT

362FT

325FT

326FT

UTM Y

4,072,276.31

UTM X 730,283.33

UTMY 4,080,973.43

ZONE 15

REMARKS: NOT CERTAIN OF LOCATION

> **TOWNSHIP SECTION RANGE**

25N 6E

8

ELEVATION:

UTM X **UTMY** 728,440.30 4,078,818.40

ZONE 15

REMARKS:

TOWNSHIP RANGE SECTION

25N 7E

ELEVATION: 28

UTM X **UTMY** 740,357.46 4,074,426.34

ZONE 15

ELEVATION:

ZONE 15

REMARKS:

FT

RANGE SECTION TOWNSHIP

25N 7E 31

UTM X 736,767.41

1.5 MI E OF POPLAR BLUFF ON HWY 60 **REMARKS**:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 019783

WELL TYPE Private Well

1960/08/13 DRILL DATE:

TOWNSHIP

25N

RANGE SECTION 7E 31

ELEVATION:

736,667.41

330FT

4,072,164.31

DRILL DEPTH:

100FT

UTM X **UTMY**

ZONE 15

DEPTH TO BED:

FT

1.5 MI E OF POPLAR BLUFF ON HWY 60 **REMARKS**:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 025376

WELL TYPE

Noncommunity Public Well

15

DRILL DATE:

1967/07/26

TOWNSHIP

SECTION RANGE

ELEVATION:

329FT

DRILL DEPTH:

150FT

25N 7E 31

UTM X

UTMY

DEPTH TO BED:

737,735.42

4,072,182.31

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

3 MI E OF POPLAR BLUFF ON HWY 60

LOG ID: 020454

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1961/11/01

TOWNSHIP RANGE **ELEVATION:**

331FT

DRILL DEPTH:

330FT

25N 7E 32

> UTM X **UTMY**

DEPTH TO BED:

105FT

SECTION

737,979.43 4,073,630.33

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

16

5

FT

REMARKS:

ON HWY T 1 MI N OF HWY 60

LOG ID:

WELL TYPE

Private Well 017982

1958/11/01

TOWNSHIP

RANGE SECTION **ELEVATION:**

310FT

DRILL DATE: DRILL DEPTH:

75FT

25N 7E 34

> UTM X UTM Y

741.973.48 4,072,579.32

ZONE 15

DEPTH TO BED:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

6 MI E OF POPLAR BLUFF ON HWY 60 **REMARKS**:

2/26/2007

491



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 019740

WELL TYPE Private Well

1960/12/15 DRILL DATE:

TOWNSHIP 25N

RANGE SECTION **ELEVATION:**

457FT

DRILL DEPTH:

125FT

7E 5

UTM X 739,240.45

UTMY 4,080,930.42

DEPTH TO BED:

S.W.L. (BEFORE CASING): FT

ZONE 15 HWY T, 5 MI N OF HWY 60, 10 MI NE OF POPLAR BLUFF **REMARKS**:

5

SECTION

S.W.L. (AFTER CASING): 85

LOG ID: 022139

WELL TYPE Private Well

DRILL DATE:

1963/07/18

TOWNSHIP

SECTION RANGE

ELEVATION:

422FT

DRILL DEPTH:

103FT

25N 7E

UTM X

UTMY

DEPTH TO BED:

738,840.45

4,081,750.43

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: HWY T, 0.25 MI W, 8 MI N OF HWY 60

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

023632

Private Well

DRILL DATE:

TOWNSHIP RANGE 25N

ELEVATION:

370FT

DRILL DEPTH:

70FT

51

7E 5

UTM X

UTMY

DEPTH TO BED:

30FT

737,840.43 4,081,340.43 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 022808

WELL TYPE

Private Well

DRILL DATE:

TOWNSHIP RANGE 25N

"FLOWS"

SECTION

ELEVATION:

UTM X

420FT

DRILL DEPTH:

DEPTH TO BED:

100FT

7E 7

UTM Y

737.575.43

4,079,032.40

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

REMARKS:

Wm. Tensler - 1 mi W of Hwy T, 5 mi N & W of Hwys T & 60;

Roubidoux residuum



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 022788

WELL TYPE Private Well

1964/02/01 DRILL DATE:

RANGE TOWNSHIP 25N

ELEVATION:

327FT

DRILL DEPTH:

8E 20

SECTION

20

UTM X 747,925.59

UTMY 4,076,620.35

ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

14

WELL TYPE

LOG ID: 022791

Private Well

DRILL DATE:

1964/02/01

TOWNSHIP

SECTION RANGE

ELEVATION:

325FT

DRILL DEPTH:

110FT

108FT

25N 8E

UTM X

UTMY

DEPTH TO BED:

FT

FT

748,125.60

4,075,598.33

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

13

15

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 021793

WELL TYPE

Community Public Well

DRILL DATE:

1963/00/00

TOWNSHIP RANGE **SECTION** 28

ELEVATION:

331FT

DRILL DEPTH:

124FT

25N 8E

> UTM X 749,204.62

UTMY 4,074,605.31

DEPTH TO BED:

REMARKS:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

028125

Community Public Well

DRILL DATE:

1978/07/06

TOWNSHIP

RANGE SECTION

28

ELEVATION:

327FT

DRILL DEPTH:

415FT

25N

8E

UTM X

UTM Y

DEPTH TO BED:

205FT

749,189.62

4,074,605.31

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016095

DEPTH TO BED:

LOG ID:

WELL TYPE

Noncommunity Public Well

15

1956/07/01 DRILL DATE: **TOWNSHIP RANGE SECTION**

25N 8E 29

DRILL DEPTH: 100FT

748,962.62

ELEVATION:

UTM X

4,074,390.31

310FT

UTMY

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 10 MI E OF POPLAR BLUFF

S.W.L. (AFTER CASING):

WELL TYPE

Private Well 021629

DRILL DATE: 1963/03/08

TOWNSHIP SECTION RANGE

ELEVATION: 710FT

DRILL DEPTH: 170FT 26N 4E 20

> **UTM X UTMY**

DEPTH TO BED: 95FT

709,239.23 4,084,642.47

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: OLD HWY 60, 1 MI S, 0.25 MI W OF WALTON CHAPEL SCHOOL

S.W.L. (AFTER CASING): 105

LOG ID:

WELL TYPE

Exploratory Hole (Mineral Prospect) 002370

DRILL DATE: 1931/01/09

TOWNSHIP RANGE SECTION **ELEVATION:**

DRILL DEPTH:

175FT

26N 5E 11

UTM X **UTMY**

DEPTH TO BED:

722,891.27 4,089,576.55

429FT

ZONE 15 S.W.L. (BEFORE CASING):

REMARKS: 9 logs on 9 wells but all listed under #2370 -

H2,H4,H5,H6,H7,H11,H15,H16,H18 - logmain shows info only on "E" -S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

019069

Noncommunity Public Well

DRILL DATE:

1956/00/00

TOWNSHIP RANGE SECTION **ELEVATION:** 398FT

DRILL DEPTH:

100FT

26N 5E 12

> UTM X UTM Y

DEPTH TO BED: 15FT 725,688.30

4,088,774.53

ZONE 15

S.W.L. (BEFORE CASING):

FT

15 MI N OF POPLAR BLUFF ON HWY 67 **REMARKS**:

S.W.L. (AFTER CASING):

20



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 008289

WELL TYPE

Noncommunity Public Well

1943/07/01 DRILL DATE:

DRILL DEPTH: 80FT

DEPTH TO BED: 35FT

S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 46 **TOWNSHIP RANGE SECTION** 26N

5E 13 **ELEVATION:**

430FT

UTM X 725,305.29

UTMY 4,087,564.52

ZONE 15

0.25 MI S OF HENDRICKSON ON OLD HWY 67; DISTRICT #4

LOG ID: 008290

WELL TYPE Private Well

DRILL DATE:

DEPTH TO BED:

1943/06/26

TOWNSHIP 26N

RANGE

SECTION 13

ELEVATION:

450FT

DRILL DEPTH: 101FT

S.W.L. (BEFORE CASING):

60FT

50

5E

UTM X

UTMY 4,087,172.51

725,905.29 ZONE 15

FT

REMARKS:

REMARKS:

REMARKS:

0.25 MI E OF HENDRICKSON ON OLD HWY 67

S.W.L. (AFTER CASING):

LOG ID: 028269

WELL TYPE

Outcrop Description

DRILL DATE:

TOWNSHIP 26N

RANGE

OURCROP DESCRIPTION

SECTION 13

ELEVATION:

361FT

DRILL DEPTH:

35FT

5E

UTM X 725,205.29

ZONE 15

UTMY 4,087,270.51

DEPTH TO BED:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

028375

DRILL DATE:

Core Description

DRILL DEPTH:

DEPTH TO BED:

S.W.L. (AFTER CASING):

340FT

TOWNSHIP 26N

RANGE SECTION 5E

14

ELEVATION:

400FT

UTM X UTM Y

724.208.27

4,086,641.51

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

MISSOURI HIGHWEAY DEPT. - FORMATIONS UNCLEAR



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 023060

WELL TYPE Private Well

DRILL DATE: 1964/08/08

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

TOWNSHIP 26N SECTION

ELEVATION:

415FT

DRILL DEPTH:

124FT

5E 24

RANGE

UTM X

724,516.27

ZONE 15

<u>UTM Y</u> 4,085,768.49

DEPTH TO BED:

REMARKS:

0.25 MI LFF HWY67, 1 MI S OF BLACK RIVER BRIDGE, 15 MI N OF

POPLAR BLU

LOG ID: 022244

WELL TYPE Private Well

DRILL DATE:

1963/09/05

TOWNSHIP 26N

RANGE SECTION

ELEVATION:

591FT

DRILL DEPTH:

208FT

5E

UTM X

UTM Y

DEPTH TO BED:

155FT

150

723,120.25

4,084,736.48

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 028295

WELL TYPE

Community Public Well

DRILL DATE:

1977/11/15

<u>TOWNSHIP</u>

<u>RANGE</u>

<u>SECTION</u>

26

ELEVATION:

469FT

DRILL DEPTH:

930FT

26N

5E 26

UTM Y

DEPTH TO BED:

110FT

<u>UTM X</u> 723,620.26

4,084,018.47

S.W.L. (BEFORE CASING):

REMARKS: NO PRODUCTION OR CONSTRUCTION DATA

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

005529

Private Well

DRILL DATE:

1939/05/01

TOWNSHIP

RANGE 5E ELEVATION:

603FT

DRILL DEPTH:

162FT

26N

E <u>SECTION</u> 27

DEPTH TO BED:

150FT

130

<u>UTM X</u> 722.735.25 <u>UTM Y</u> 4,084,703.48

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

2/26/2007

496



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 006973

DRILL DEPTH:

WELL TYPE Private Well

1941/04/26 DRILL DATE:

163FT

DEPTH TO BED: 90FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

TOWNSHIP RANGE 26N

5E

SECTION 27

ELEVATION:

600FT

UTM X 722,335.24

UTMY 4,083,315.46

ZONE 15

ON HWY 67 NEAR CCC CAMP **REMARKS:**

LOG ID: 022119

WELL TYPE Private Well

DRILL DATE:

1963/08/17

TOWNSHIP

SECTION RANGE 27

ELEVATION:

610FT

DRILL DEPTH: DEPTH TO BED:

180FT 115FT

140

26N 5E

UTM X

UTMY

722,035.25

4,084,009.47

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

10 MI N OF POPLAR BLUFF, 0.25 MI W OF PINE CONE LODGE ON

HWY 67

LOG ID: 003145

WELL TYPE Private Well

DRILL DATE:

1934/12/12

TOWNSHIP

RANGE

SECTION

ELEVATION:

512FT

DRILL DEPTH:

30FT

26N 5E 33

UTM X 720,464.24

ZONE 15

UTM Y 4,082,400.45

DEPTH TO BED:

REMARKS:

previously under name of Will Barron - "COULD NOT LOCATE"

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 003369

WELL TYPE Private Well

DRILL DATE:

1935/05/27

TOWNSHIP

RANGE

SECTION

ELEVATION:

580FT

DRILL DEPTH:

DEPTH TO BED:

631FT 140FT

26N

5E

34

UTM Y

UTM X 721.863.24

4,082,203.45

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

3.5 MI SW OF HENDRICKSON

150



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 024957

DRILL DEPTH:

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP RANGE SECTION**

> 26N 5E 34

UTM X **UTMY** DEPTH TO BED: 95FT 721,963.24 4,082,700.45

ZONE 15

592FT

ELEVATION:

S.W.L. (BEFORE CASING): ABANDONED - LOST HOLE, 150' FROM OLD CCCC WELL #18 **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 027560

WELL TYPE

Noncommunity Public Well

340FT

TOWNSHIP SECTION DRILL DATE: 1973/07/13 **RANGE ELEVATION:** 600FT

26N 5E 34 DRILL DEPTH: 755FT

UTM X **UTMY** DEPTH TO BED: 721,847.24 4,082,391.45 125FT

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING): 132

LOG ID:

WELL TYPE

Private Well 005512

DRILL DATE: 1939/05/16 **TOWNSHIP RANGE SECTION ELEVATION:** 374FT

26N 5E 9 **DRILL DEPTH:** 38FT

REMARKS:

REMARKS:

UTM X UTM Y

DEPTH TO BED: 720,894.26 4,088,309.52 15FT

NEAR KEENER SPRINGS

SMITH FARM - ALL ROUBIDOUX RESIDUUM

ZONE 15 S.W.L. (BEFORE CASING): FT

5 S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Private Well 005016

1938/07/01 **RANGE DRILL DATE: TOWNSHIP SECTION ELEVATION:** 539FT

26N 6E 13 **DRILL DEPTH:** 145FT UTM X UTM Y

DEPTH TO BED: 735.723.41 4,088,024.51

ZONE 15

S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 115



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012210

WELL TYPE

Noncommunity Public Well

1952/00/00 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:**

> 26N 6E 14 135FT

DRILL DEPTH: UTM X **UTMY** DEPTH TO BED: 50FT 732,714.38 4,088,171.52

ZONE 15

536FT

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING): 95

LOG ID:

WELL TYPE

Exploratory Hole (Mineral Prospect) 028434

TOWNSHIP SECTION DRILL DATE: **RANGE ELEVATION:** 570FT

26N 6E 16 DRILL DEPTH: 895FT

UTM X UTMY DEPTH TO BED: 420FT 730,204.35 4,087,377.51

ZONE 15

S.W.L. (BEFORE CASING): Well #MO-13 - CORE BELOW 890', SECTION ONLY FROM 420-895' REMARKS:

S.W.L. (AFTER CASING): ON LOG

LOG ID: 021770

WELL TYPE

Private Well

DRILL DATE: 1963/03/26 **TOWNSHIP RANGE SECTION ELEVATION:** 544FT

26N 6E 22 **DRILL DEPTH:** 170FT

UTM X UTM Y

DEPTH TO BED: 120FT 732,526.37 4,085,312.48 ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** 1 MI NE OF OAK LOOKOUT TOWER

S.W.L. (AFTER CASING): 110

LOG ID:

WELL TYPE

145FT

Private Well 022183

1963/07/24 **DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION:** 518FT

DRILL DEPTH: UTM X UTM Y

6E

23

DEPTH TO BED: 732.738.37 4,085,139.48

ZONE 15 FT

26N

S.W.L. (BEFORE CASING): 0.25 MI S OFF HWY W, 1 MI N OF MARTIN SCHOOL, 12 MI N OF **REMARKS:**

POPLAR BLUFF S.W.L. (AFTER CASING): 95



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 014401

WELL TYPE

Noncommunity Public Well

1956/00/00 DRILL DATE:

TOWNSHIP RANGE SECTION 26N 6E 26

DRILL DEPTH: 130FT UTM X **UTMY**

DEPTH TO BED: 50FT 733,159.38

ZONE 15

516FT

4,083,941.46

ELEVATION:

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING): 93

LOG ID: 008291

WELL TYPE

Private Well

TOWNSHIP SECTION DRILL DATE: 1943/05/03 **RANGE ELEVATION:** 400FT

26N 6E 31 DRILL DEPTH: 105FT

UTM X UTMY DEPTH TO BED: 85FT 727,021.30 4,083,254.46

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING): 60

LOG ID: 023061

WELL TYPE

Private Well

SECTION DRILL DATE: 1964/08/18 **TOWNSHIP RANGE ELEVATION:** 517FT

26N 6E 34 **DRILL DEPTH:** 170FT

UTM X UTM Y

DEPTH TO BED: 731,553.35 4,082,701.45 ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** previously under name of Jackson Weeks - ON RT W

S.W.L. (AFTER CASING): 12

LOG ID:

WELL TYPE

710FT

028019 Community Public Well

SECTION DRILL DATE: 1976/04/01 **TOWNSHIP RANGE ELEVATION:** 500FT 26N 6E 34

DRILL DEPTH: UTM X UTM Y

DEPTH TO BED: 732.380.36 4,082,696.45 255FT

NO PRODUCTION OR CONSTRUCTION DATA - MR. RON LITTLE

ZONE 15 S.W.L. (BEFORE CASING):

REMARKS: S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 022318

WELL TYPE Private Well

DRILL DATE: 1963/10/07

145FT

RANGE SECTION 6E 36

ELEVATION:

458FT

DRILL DEPTH:

26N 6E

<u>UTM X</u>

<u>UTM Y</u>

DEPTH TO BED: 90FT

735,599.41

9.41 4,083,409.45

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS: 5 MI E OF HWY W, 2.5 MI E OF MARTIN SCHOOL, NEAR INDIAN

TOWNSHIP

CREEK

LOG ID: 023623

WELL TYPE Private Well

DRILL DATE:

1965/06/15

TOWNSHIP

RANGE SECTION

7

ELEVATION:

500FT

DRILL DEPTH:

153FT

26N 6E

UTM X

UTM Y

DEPTH TO BED:

35FT

726,584.31

4,089,690.54

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: ON HWY 67 15 MI N OF POPLAR BLUFF

S.W.L. (AFTER CASING): 77

LOG ID: 005013

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1938/00/00

TOWNSHIP RA

RANGE SECTION

ELEVATION:

472FT

DRILL DEPTH:

395FT

26N

7E 10

<u>UTM X</u> 742,374.49

<u>UTM Y</u> 4,089,751.53

DEPTH TO BED:

100FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

95

FT

FT

REMARKS: "NOT STATE APPROVED"

LOG ID:

WELL TYPE Private Well

005282

1938/09/27

TOWNSHIP 26N **RANGE**

SECTION

ELEVATION:

367FT

DRILL DATE:
DRILL DEPTH:

105FT

7E 10

UTM X

<u>UTM Y</u> 4,089,751.53

741,774.49

ZONE 15

DEPTH TO BED:

S.W.L. (BEFORE CASING):

30FT

REMARKS: PORTER DE WIT

S.W.L. (AFTER CASING):

15

2/26/2007 501



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 008599

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE: 1944/07/15

7/15 <u>TOWNSHIP</u> 26N

REMARKS:

RANGE SECTION 7E 10

ELEVATION:

DRILL DEPTH: 2

203FT

<u>UTM X</u> 741,474.48

1,474.48 4,089,443.52

ZONE 15

S.W.L. (BEFORE CASING):

L (AFTER CACINO):

S.W.L. (AFTER CASING):

LOG ID: 010810

WELL TYPE

Noncommunity Public Well

85FT

DRILL DATE:

1949/00/00

TOWNSHIP

RANGE SECTION

ELEVATION:

483FT

UTMY

DRILL DEPTH:

125FT

26N 7E 10

UTM X

UTM Y

DEPTH TO BED:

742,374.49

374.49 4,088,931.52

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: NEAR TOWN OF WAPPAPELLO

S.W.L. (AFTER CASING):

LOG ID: 010967

WELL TYPE

Community Public Well

DRILL DATE:

1949/08/02

TOWNSHIP RA

RANGE SECTION

10

ELEVATION:

469FT

UTM Y

DRILL DEPTH:

155FT

26N 7E

@ WAPAPPELLO DAM

UTM X

DEPTH TO BED:

75FT

741,974.49 4,089,341.52

74.49 4,009,341

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 012066

WELL TYPE

Private Well

DRILL DATE:

1952/00/00

TOWNSHIP

RANGE S

SECTION

ELEVATION:

DRILL DEPTH:

DEPTH TO BED:

132FT

105FT

90

26N

7E

10

<u>UTM X</u> 742,374.49 <u>UTM Y</u> 4,089,135.52

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

FT

REMARKS:

ON HWY T 0.5 S OF WAPPAPELLO DAM

2/26/2007 502



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012207

DEPTH TO BED:

WELL TYPE Private Well

1952/00/00 DRILL DATE:

TOWNSHIP 26N

SECTION

ELEVATION:

477FT

DRILL DEPTH: 137FT 10

UTM X

UTMY 4,089,135.52

742,174.49

ZONE 15

S.W.L. (BEFORE CASING):

3/8 MI S OF WAPPAPELLO DAM **REMARKS:**

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

022069

Community Public Well

120FT

DRILL DATE:

1963/06/08

TOWNSHIP

RANGE

RANGE

7E

SECTION 10

ELEVATION:

473FT

DRILL DEPTH:

212FT

26N

7E

UTM X

UTMY 4,089,341.52

DEPTH TO BED: 153FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

741,574.48

formerly under name of E.P. Burley - now in name of Mr. Knodell - 0.5 mi S of Wappapello Dam

LOG ID:

WELL TYPE

027198

Noncommunity Public Well

104

DRILL DATE:

1972/05/10

TOWNSHIP

RANGE 7E

SECTION

ELEVATION:

472FT

DRILL DEPTH:

620FT

26N

10

UTM X

741,744.48

UTM Y

DEPTH TO BED:

70FT

4,089,492.52

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: CORPS OF ENGINEERS - "NOT STATE APPROVED"

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

028819

Noncommunity Public Well

DRILL DATE:

1988/06/01

TOWNSHIP

RANGE

SECTION

ELEVATION:

UTM X

470FT

DRILL DEPTH:

480FT

26N

7E

10

UTM Y

DEPTH TO BED:

742.174.49

4,089,545.52 ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

Driller remarks that a previous hole drilled near this location was

abandoned



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 028832

WELL TYPE

Noncommunity Public Well

DRILL DATE: 1988/05/01

RANGE TOWNSHIP SECTION 26N 7E 370FT

DRILL DEPTH: UTM X DEPTH TO BED: 741,674.48 4,089,033.52

ZONE 15

371FT

UTMY

ELEVATION:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

This well is probably the well noted as abandoned on the ticket for well

10

log #28819. Looks like all Roubidoux Formation and it's residuum to

LOG ID: 010811

WELL TYPE

Noncommunity Public Well

DRILL DATE: **TOWNSHIP SECTION** 1948/12/20 **RANGE ELEVATION:** 457FT

26N 7E 11 DRILL DEPTH: 110FT

UTM X UTMY DEPTH TO BED: 75FT 742,997.50 4,088,877.51

0.5 MI E OF NEW WAPPAPELLO

ZONE 15 S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: **WELL TYPE** Private Well 022946

DRILL DATE: 1964/06/14 **TOWNSHIP RANGE SECTION ELEVATION:** 473FT

26N 7E 11 **DRILL DEPTH:** 203FT

UTM X UTM Y **DEPTH TO BED:** 55FT 743,396.50 4,089,079.52

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING): 150

LOG ID:

DRILL DEPTH:

WELL TYPE

215FT

Private Well 025446

DRILL DATE: 1965/10/04 **RANGE SECTION TOWNSHIP ELEVATION:** 483FT

UTM X UTM Y

DEPTH TO BED: 145FT 743.596.51 4,089,691.52

7E

11

ZONE 15 S.W.L. (BEFORE CASING):

26N

2 MI E OF NEW WAPPAPELLO, 2 MI SE OF WAPPAPELLO DAM **REMARKS**:

S.W.L. (AFTER CASING):



RANGE

7E

(Click on Well Log ID to Access Image of Well Strip Log)

ELEVATION:

UTM X

741,194.48

ELEVATION:

UTM X

740,591.47

ELEVATION:

UTM X

739,391.46

ZONE 15

ZONE 15

495FT

UTMY

498FT

UTMY

4,087,766.50

507FT

UTM Y

4,087,365.50

4,087,103.49

LOG ID: 028822

DRILL DEPTH:

WELL TYPE

Noncommunity Public Well

1983/04/01 DRILL DATE:

295FT

DEPTH TO BED: 165FT

S.W.L. (BEFORE CASING):

REMARKS:

TOWNSHIP

26N

26N

TOWNSHIP

26N

This log is difficult to correlate since it is so short. Probably Roubidoux. Seems to correlate with the top 310 feet of log #28819 (T26N, R7E,

SECTION

15

SECTION

16

SECTION

16

formerly in name of "Boles" - 2 mi SW of Wappapello Dam on Hwy T

S.W.L. (AFTER CASING):

LOG ID: 022182

WELL TYPE

Noncommunity Public Well

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

1963/08/05

TOWNSHIP

125FT

95FT

85

FT

FT

FT

REMARKS: ON HWY T 2 MI SW OF WAPPAPELLO DAM

RANGE

7E

RANGE

7E

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 023649

WELL TYPE

Noncommunity Public Well

DRILL DATE:

DRILL DEPTH:

1965/02/05

125FT

DEPTH TO BED: 75FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING): 84

LOG ID:

WELL TYPE

Private Well 009597

DRILL DATE:

DEPTH TO BED:

1947/04/18

40FT

90

DRILL DEPTH: 175FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

TOWNSHIP

REMARKS:

26N

RANGE SECTION

7E

17

ELEVATION:

517FT

UTM X 738,584.45

UTM Y 4,087,591.50

ZONE 15

3.5 MI SW OF WAPPAPELLO DAM **REMARKS:**



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016641

DRILL DEPTH:

WELL TYPE Irrigation Well

1957/08/01 DRILL DATE:

550FT

DEPTH TO BED: 50FT

TOWNSHIP 26N

RANGE 7E

SECTION 17

ELEVATION:

542FT

UTM X 738,784.45

UTMY 4,087,789.51

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

149

REMARKS:

@ WAPAPPELLO; SECTION ALL GASCONADE ON LOG

LOG ID: 019264

WELL TYPE Private Well

DRILL DATE:

1960/06/15

TOWNSHIP

26N

SECTION RANGE 17

ELEVATION:

470FT

DRILL DEPTH: 91FT 7E

UTM X

ZONE 15

UTMY 4,086,998.50

739,184.45

S.W.L. (BEFORE CASING):

DEPTH TO BED:

FT

REMARKS: HWY T, 3 MI S OF WAPPAPELLO DAM

S.W.L. (AFTER CASING):

50

WELL TYPE

LOG ID: 020267

Private Well

DRILL DATE:

1960/05/01

TOWNSHIP

REMARKS:

RANGE

SECTION

ELEVATION:

499FT

DRILL DEPTH:

140FT

26N 7E 18

UTM X 736,859.43

UTM Y 4,087,154.50

DEPTH TO BED:

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 023652

WELL TYPE

Private Well

DRILL DATE:

1965/03/12

TOWNSHIP 26N

RANGE

SECTION 20

ELEVATION:

465FT

DRILL DEPTH:

DEPTH TO BED:

130FT

95FT

7E

UTM X

UTM Y

739.200.45

ZONE 15

4,085,994.48

S.W.L. (BEFORE CASING):

REMARKS:

0.75 MI S OF JCT HWYS T & KKN ON HWY T

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 004738

WELL TYPE Private Well

1938/04/01 DRILL DATE:

TOWNSHIP 26N

REMARKS:

SECTION

ELEVATION:

483FT

DRILL DEPTH:

112FT

7E 29

RANGE

UTM X

UTMY

DEPTH TO BED:

55FT

739,117.45 4,084,067.46

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

FT

S.W.L. (AFTER CASING): 26

LOG ID: 023655

WELL TYPE Private Well

DRILL DATE:

TOWNSHIP 26N

RANGE

SECTION 32

ELEVATION:

ZONE 15

ZONE 15

447FT

DRILL DEPTH:

120FT

7E

UTM X 739,029.45

UTMY 4,083,343.45

DEPTH TO BED:

100FT

65

85

REMARKS:

0.25 MI W OF HWY T, 5 MI S OF WAPPAPELLO DAM

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 022301

WELL TYPE Private Well

DRILL DATE:

1963/10/25

TOWNSHIP

SECTION RANGE

ELEVATION:

460FT

DRILL DEPTH:

122FT

26N 7E 33

> UTM X 739,834.46

UTM Y 4,081,897.43

DEPTH TO BED:

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 023063

WELL TYPE

Private Well

DRILL DATE:

1964/09/09

TOWNSHIP 26N

RANGE

SECTION

ELEVATION:

493FT

UTM Y

DRILL DEPTH:

DEPTH TO BED:

135FT 60FT

95

7E 9

UTM X

740.575.47 4,088,772.52

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

REMARKS:

ROCKWOOD PT RD, 0.5 MI N OF LITTLE BRUSHY CHURCH ON

HWY T, 3 MI S OF W



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 023634

DRILL DEPTH:

WELL TYPE

Community Public Well

DRILL DATE: 1964/10/29

225FT

DEPTH TO BED: 85FT

RANGE SECTION TOWNSHIP 26N 7E 9

ELEVATION:

491FT

<u>UTM X</u> 740,775.47

UTM Y 4,089,370.52

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

well abandoned as of June 1971 - 1 MI SW OF DAM, ON LAKE

WAPAPELLO

LOG ID: 025203

WELL TYPE Private Well

DRILL DATE:

430FT

TOWNSHIP 26N

RANGE

SECTION

ELEVATION:

482FT

DRILL DEPTH:

7E 9

UTM X

<u>UTM Y</u>

DEPTH TO BED: 90FT 740,775.47

4,089,370.52

ZONE 15

S.W.L. (BEFORE CASING):

LAKEVIEW SUBDIVISION **REMARKS**:

S.W.L. (AFTER CASING):

BUTLER